



VPCart Storefront

DATABASE TABLES

Version 8.00

8 April 2015

<http://www.vpcart.com>

Table of Contents

1	DATABASE.....	5
2	TABLE DESCRIPTIONS	7
2.1	ADDONINFO	7
2.2	AFFILIATELOG	7
2.3	AFFILIATES.....	7
2.4	BILLING	8
2.5	BLOGS	8
2.6	BLOGSREVIEWS	9
2.7	CARTSESSION.....	9
2.8	CATEGORIES	9
2.9	CHECKOUTSTEPS	10
2.10	CONCATCATEGORIES	10
2.11	CONFIGURATION	10
2.12	CONFIGURATION1	10
2.13	CONTAINERBOX_COMPONENT.....	11
2.14	CONTAINERBOX_FIELDS	11
2.15	CONTAINERBOX_LISTS	11
2.16	CONTAINERBOX	12
2.17	CONTENT	12
2.18	CONTENTCATEGORIES	12
2.19	COUPONS.....	12
2.20	CURRENCYVALUES.....	13
2.21	CUSTOMERGROUPS.....	13
2.22	CUSTOMERPRICES	13
2.23	CUSTOMERS.....	13
2.24	DOWNLOADS	14
2.25	GIFTS	14
2.26	GROUPS	14
2.27	HACKERS	15
2.28	LANGUAGES	15
2.29	MENUITEM	15
2.30	MYCOMPANY	15
2.31	NEWS	15
2.32	NEWSLETTER.....	16
2.33	NEWSREVIEWS	16
2.34	OITEMS	17
2.35	ORDERS	17
2.36	ORDERTRACKING	19
2.37	PINNUMBERS	19
2.38	PRODCATEGORIES	19
2.39	PRODFEATURES	19
2.40	PRODUCTS.....	20
2.41	PRODUCTVARIANTS	22
2.42	PROJECTS	22
2.43	QUANTITYDISCOUNTS.....	23
2.44	REGISTRANT.....	24
2.45	REGISTRYITEMS.....	24
2.46	REVIEWS.....	25
2.47	SAVEDCARTS	25
2.48	SAVEDQUERY.....	25
2.49	SEARCHRESULTS	25
2.50	SHIPMETHODS.....	26

2.51	SHOPCOUNTRIES.....	26
2.52	SHOPRMA.....	26
2.53	SHOPSTATES	27
2.54	SITESSESSIONS.....	27
2.55	STOCKNOTIFICATION.....	27
2.56	SUPPLIERS.....	27
2.57	TBLACCESS.....	27
2.58	TBLAUDITHIST.....	28
2.59	TBLLOG	28
2.60	TBLMENUHEADER	28
2.61	TBLUSER.....	28
2.62	TEMPLATES.....	28
2.63	TRANSLATEBLOGS	28
2.64	TRANSLATECATEGORIES	29
2.65	TRANSLATECONTENT	29
2.66	TRANSLATENEWS	29
2.67	TRANSLATEPRODFEATURES.....	29
2.68	TRANSLATEPRODUCTS	29
2.69	UPS_CONFIG	30

1 Database

This is a summary of the database fields and tables in shopping800.mdb. Items in Red have been changed in VP-ASP 8.00.

Tables	Description
affiliatelog	Log affiliate entries
affiliates	Affiliate details (requires VP-ASP option package)
billing	Recurring Billing
blogs	Used to store blog
blogsreviews	Used to store blog reviews
categories	Holds all the categories of products
checkoutsteps	Used to store Checkout Steps Indicator information
concatcategories	Used for shopcms (contents and content categories)
configuration	VP-ASP Configuration
configuration1	VP-ASP Configuration for running two shop using one database
containerbox	Used for Layout Manager
content	Used for dynamic site content
contentcategories	Used to store content categories
coupons	Discount Coupons
currencyvalues	Store different currency types available for the store
customergroups	Used in Customer Grouping, mapping the customer group id and customer contact id
customerprices	Customer based pricing table
customers	Each time a customer orders a product(s) a record is stored in the database. Even if the customer cancels the order, the customer information is not deleted
downloads	Used with secure download facility
gifts	Gift Certificates
groups	Used to store the Customer Grouping data.
hackers	Place to store hacker e-mail addresses and IP address
languages	Shop languages
menuitem	The top navigation bar is created based on the data in this table
mycompany	Describes details about the merchant. Used to print merchant details on printed orders
news	Used for news
newsletter	Used for newsletter subscribers
newsreviews	Used to store news reviews
oitems	One row for each item ordered. If multiple products are ordered in a single transaction, there are multiple rows in the database.
orders	The order information is stored here
ordertracking	Tracking messages
pinnumbers	Used with pin number add-on
prodcategories	Lists all categories for a specific product. Used only if the products in multiple categories is used
prodfeatures	Product Features such as color, size or any other attribute
products	The products in the database
productvariants	Unused
projects	Non product services
quantitydiscounts	Quantity discount table
registrant	Gift registry customer details
registryitems	Gift registry items
reviews	Reviews of products by customers and suppliers
savedcarts	Wish list values
savedquery	Used to store admin entered sql queries
searchresults	Search term recording

shipmethods	Different shipping methods and prices
shopcountries	A list of countries available to ship to
shoprma	Stores RMA requests
shopstates	A list of states available to ship to
sitesessions	Used for advanced session handling
stocknotification	Used for stock notifications
suppliers	Supplier details
tblaccess	Access rights for users
tblaudithist	Used to store audit trail history
tbllog	User login to admin system
tblmenuheader	Used to store the admin top menu
tbluser	Userids and passwords for admin system
templates	Instead of storing template files on the server, it can be stored here
translateblogs	Descriptions and meta tags of blog in other languages
translatecategories	Descriptions of categories in other languages
translatecontent	Stores page contents in other languages
translatenews	Descriptions and meta tags of news in other languages
translateprodfeatures	Stores product feature captions and descriptions in other languages
translateproducts	Stores product details in other languages
ups_config	Configuration details for the in-built UPS facility

2 Table Descriptions

2.1 Addoninfo

Addoncategory	Addon category	Version 8.00
Addondesc	Addon description	Version 8.00
Addonenableconfig	Enable or disable addon	Version 8.00
Addoninfoid	Addon info id	Version 8.00
Addonmodulename	Addon/module name	Version 8.00
Addonversion	Addon version	Version 8.00
Cdateadded	Addon installation date	Version 8.00
Blogsid	Blog id	Version 8.00
Primarikey	Primary key	Version 8.00

2.2 Affiliatelog

Afflogid	Unique Id
Affid	Affiliate number
Affdate	Date of line
Afftime	Time of Link
Affdirecturl	Page directed to
Affreferrer	The referring URL
Affcookie	Yes/No if cookie read when order was created
Affother1	Unused

2.3 Affiliates

Affid	Affiliate number
Firstname	First name
Lastname	Last name
Address	Address
City	City
State	State
Postcode	Post code
Country	Country
Company	Company
Phone	Phone
Website	Website
Mobilephone	Mobile number
Fax	Fax
Email	Email
Comment	Comment
Logincount	Number of times affiliate linked to site
Logindate	Last link date
Affother1	Unused
Affother2	Unused
Affother3	Unused
Commissionrate	The percentage rate for commission
Orders	Orders by the affiliate
Totalcommission	Total commission earned
Typeofpayment	How affiliate wants to be paid
Bank	Bank name
Bankaccount	Bank account number
Bankaddress	Bank address

Bankother	unused
Password	Affiliate password
Referralid	On two tier affiliates this is the higher affiliate affid
Mastercommissionrate	On two tier affiliates this is higher affiliate commission rate
Template	Template to be used.Optional

2.4 Billing

billamount	How much to bill each interval
billnextbilldate	The date to start the billing
billcustomer	Customer's name
billemail	E-mail address of the customer
billdescription	The description of what the bill is for such as the product or service
billinstallments	A number representing the number of installments. For example 12 will mean that this customer should be billed 12 times.
billinstallmenttype	One of the following words: Day, week, Month, Year For example if Month is in this field, the person will be billed once per month for 12 months.
billinterval	A number, which is the interval between bills in the same units as above.
billcreationdate	Date you are creating this billing record
billenddate	Optional. The last date for which a bill should be sent out. If not supplied VP-ASP stops sending bills when the installments are completed.
billorderid	It is the original order that caused this billing record to be created
billlastmaildate	The date the last bill was sent out
billsentcount	The number of e-mail bills that have been sent to the customer
billcanceled	If True, then the merchant has decided to stop sending bills to the customer
billcompleted	If true, it means that this billing record is no longer used since all installment e-mails have been sent. It is normally set by VP-ASP automatically after the last installment is sent
billcreationdate	The date this billing record itself was created.
billorderitemid	The record number in the oitems table for the original order that created the billing record
billenddate	Used to stop billing at a certain date regardless of whether the number of installments has been reached. Normally this field would not be used
billtemplate	Optional. Used to specific a unique mailing template for bills generated from this billing record
billother1	Unused
billother2	Unused

2.5 Blogs

blogsid	Unique id
messagetype	A name for your blog
headline	Headline of the article
blogsimage	Image
hide	Hide this blog
template	Template to be used. Optional
blogslanguage	Language of this blog
other1	Unused
other2	Unused
other3	Unused
loggedin	Show blog only to logged in users
impressions	Number of times the blog page was accessed
cdateadded	When the blog was added
cdateupdated	When the blog was updated

fullname	Customer full name
contactid	Customer contact id
contentgroups	Groups to be included
excontentgroups	Groups to be excluded
showonbox	Show on box
cBlogsStartDate	Start Date
cBlogsEndDate	End Date
showonhomepage	Show on Home Page
archive	Archive
metatitle	Meta Title
smFrequency	Frequency (for Google sitemap)
smPriority	Priority (for Google sitemap)
gsmincluded	Include in Google Site Map
metakeywords	Meta Keywords
metadescription	Meta Description
message	Details description of blog
userid	The administrative user assigned to the blog

2.6 Blogsreviews

ID	Unique ID
contentid	Blogid
Authorized	A flag to determine whether the review has been authorized for display on your site
Reviewdate	Date when the review was submitted
Reviewtime	Time when the review was submitted
Title	Title of review
Comment	Review of blog
Location	Location of reviewer
Name	Name of reviewer
Email	Email of reviewer
Other1	Unused by VP-ASP
Other2	Unused by VP-ASP

2.7 Cartsession

Cartcontactid	Cart contact id	Version 8.00
Cartcookieid	Cart cookie name	Version 8.00
Cartdate	Cart date	Version 8.00
Cartexpireddate	Date of cart expiration	Version 8.00
Cartfieldname	Cart field name	Version 8.00
Cartseqno	Cart sequence number	Version 8.00
Cartsessionid	Cart session id	Version 8.00
Carttime	Cart time	Version 8.00
Cartvalue	Cart value	Version 8.00
Id		Version 8.00
Primary key		Version 8.00

2.8 Categories

Categoryid	Unique id	
Catdescription	Description	
catextra	If required, a filename to be displayed when this category's products are displayed.	
Hassubcategory	If not null, then subcategories will be displayed for this category	
Catimage	Image to display for this category	

Highercategoryid	0 if highest category. Otherwise the categoryid of the higher category	
Cathide	Any value means hide this category	
Catmemo	Text to display when category is displayed	
Productmatch	Used to display products depending on site	
Customermatch	Used to display products based on customer login	
Catlanguage	Language to be displayed	
Catproducttemplate	Template for product displays	
Impressions	The number of times this category was viewed	
Catextra2	Unused	
Catextra3	Unused	
smFrequency	Frequency (for Google sitemap)	version 7.02
smPriority	Priority (for Google sitemap)	version 7.02
gsmincluded	Include in Google Site Map	version 7.02
loggedin	Access Level in Customer Management	version 7.02
excustomermatch	Customer Groups to be excluded	version 7.02
categorymetakeyword	Meta keywords	version 7.02
categorymetadescription	Meta description	version 7.02
CatProCatDisplayCategoryID	Categories ID to Cross-Sell	version 7.02
cdateadded	When the category was added	version 7.02
cdateupdated	When the category was updated	version 7.02

2.9 Checkoutsteps

ID	Unique ID
stepseqno	Step numberrng
stepdesc	Step title
stepfile	Step page name
stepimage	Step image

2.10 Concatcategories

ID	Unique ID
intcategoryid	Content id
intcatalogid	Content category id

2.11 Configuration

id	Unique id	
Fieldname	Shop Configuration name	
Fieldvalue	Value	
Fieldgroup	Grouping for menu displays	
Fieldgroup2	Redefine field group in new configuration mode	
newfieldgroup	Group for top menu admin	
newfieldgroup2	Group for sub top menu admin	
Fieldyesno	Yes or No value field	
Message	Used to display help message for configuration	
showfield	Where to show or hide the configuration field	
Addondefaultvalue	Addon default installation value	Version 8.00
Addonfieldcaption	Addon field caption	Version 8.00
Addonfieldtype	Addon field type	Version 8.00
Addonmodulename	Addon Module Name	Version 8.00
Addonseq	Addon sequence	Version 8.00

2.12 Configuration1

id	Unique id (Site 2)
Fieldname	Shop Configuration name(Site 2)

Fieldvalue	Value (Site 2)	
Fieldgroup	Grouping for menu displays (Site 2)	
Fieldgroup2	Redefine field group in new configuration mode (Site 2)	
newfieldgroup	Group for top menu admin (Site 2)	
newfieldgroup2	Group for sub top menu admin (Site 2)	
Fieldyesno	Yes or No value field (Site 2)	
Message	Used to display help message for configuration (Site 2)	
showfield	Where to show or hide the configuration field (Site 2)	
Addondefaultvalue	Addon default value	Version 8.00
Addonfieldcaption	Addon field caption	Version 8.00
Addonfieldtype	Addon field type	Version 8.00
Addonmodulename	Addon module name	Version 8.00
Addonseq	Addon sequence	Version 8.00

2.13 Containerbox_component

Component_name	Component name	Version 8.00
Default_lang	Default component language	Version 8.00
Id		Version 8.00
Installid		Version 8.00
Label_lang	Label language	Version 8.00
Section_lang	Section language	Version 8.00
Seqno_lang	Language sequence number	Version 8.00
PrimaryKey		Version 8.00

2.14 Containerbox_fields

Component_name	Component name	Version 8.00
Fieldcaption	Field caption	Version 8.00
Fielddefvalue	Field default value	Version 8.00
Fieldjsscript	Field javascript	Version 8.00
Fieldlistcaption	Field list caption	Version 8.00
Fieldlistvalue	Field list value	Version 8.00
Fieldname	Field name	Version 8.00
Fieldselect	Field select	Version 8.00
Fieldseq	Field sequence number	Version 8.00
Fieldtype	Field type	Version 8.00
Fieldvaluefrom	Field value from	Version 8.00
Id		Version 8.00
Installid	Installation id	Version 8.00
PrimaryKey		Version 8.00
Addonfieldname	Addon field name	Version 8.00

2.15 Containerbox_lists

ContainerName	Container name	Version 8.00
Id		Version 8.00
Installid	Installation id	Version 8.00
Listcaptions	List caption	Version 8.00
Listvalues	Default list value	Version 8.00
PrimaryKey		Version 8.00

2.16 Containerbox

id	Unique id	
ContainerName	Container name in layout manager	
containerdivname	Layout section in layout manager	
labelfield	Label name	
otheroptions1	Yes or No value field	
otheroptions2	Sequence numberring	
otheroptions3	Other optional field	
otheroptions3	Other optional field	
otheroptions5	Other optional field	
otheroptions6	Other optional field	
HowManyItems	How many records to show in a container	
IDs		
Installid	Installation id	Version 8.00
Ismobile	Activate on mobile system	Version 8.00

2.17 Content

Contentid	Unique id	
Message	Used to distinguish different types f content	
Message	Description	
Message2	Additional description. Optional	
Image	Image	
Hide	Hide this content message	
Template	Template to be used. Optional	
language	Language of this template	
Other1	Unused	
Other2	Unused	
Other3	Unused	
loggedin	Show content only to logged in users	
impressions	Number of times the content page was accessed	
cdateadded	When the content was added	
cdateupdated	When the content was updated	

2.18 ContentCategories

ncategoryid	Unique id	
ncatdescription	Description	
ncathide	Hide this category	
ncatlanguage	Language of this category	
ncatemplate	Template to be used. Optional	
impressions	Number of times the category was accessed	

2.19 Coupons

couponid	Unique id	
couponname	Name of the coupon	
couponpercent	The percent discount. For example .10 for 10%	
couponstartdate	Coupon start date	
couponenddate	Coupon end date	
couponamount	Actual amount in dollars	
couponlimit	Number of times coupon can be used	
couponcomment	Unused	
couponother	Unused	
couponcategories	List of category numbers to which coupon applies	
couponproducts	List of product catalogids to which discount applies	
couponusedcount	Updated by VP-ASP each time a coupon is used	

couponlastuseddate	Last date coupon was used
Couponcustomers	List of customerids for which coupon is valid
Couponminimum	The minimum amount to be purchased before coupon can be used
couponaffid	Associate a coupon with an affiliate

2.20 Currencyvalues

id	Unique id
cid	Text id of the currency unit
Fullunitname	Full description of currency unit
Conversionvalue	Conversion rate relative to the base currency
Theimage	Image to represent the currency unit
Hide	Hides the currency type in the shop

2.21 Customergroups

id	Unique id
groupid	Customer group id to match with groupid in groups table
contactid	Customer id

2.22 Customerprices

id	Unique id
Customerid	Customerid matches contactid in customer record
Categoryid	Category of product to be discount
Catalogid	Catalogid if product to be discounted
Discountpercent	A number like .10 which is the percent discount
Discountamount	A number like 20 which is the amount of the discount

2.23 Customers

contactid	Unique Id
firstname	First name
lastname	Last name
Address	Address
City	City
State	State
postcode	Post code
country	Country
company	Company
phone	Phone
workphone	Work phone
mobilephone	Mobile
Fax	Fax
Email	Email
Contactypeid	A number that represents the customer type in customer based pricing.
Comments	Comments
Contactreason	Filled in when customer registered via mailing list
Logincount	Updated each time the user uses the shoplogin script.
lastlogindate	Last date user logged in to buy something
Website	Customer web site
Password	Password for the user
Discount	A discount for the customer (< 0, is a percent, > 0 it is a dollar amount).
custoother1	Unused
Accountno	Unused
Cardno	Unused
Cardexpires	Unused
Cardname	Unused

Cardaddress	Unused
Cardcvn	Unused
Maillist	TRUE/False whether customer wants to be on mailing list
Productgroup	Used to match customers to specific products
cookiequestion	Yes/No. Does customer want info saved as a cookie
pointstotal	Total points accumulated
pointsremaining	Number of points remaining
Vatnumber	VAT number
Userid	Customer userid
Hearaboutus	Text. How customer heard about your company
Address2	Second address field
Taxexempt	Specify if the customer is exempt from tax
Authorized	If True, customer can login. If set to False or blank, customer can't login.
Fb_userid	Facebook user id
Version 8.00	

2.24 Downloads

Id	Unique id
Orderid	Order number for this download
Catalogid	Product catalogid
Customerid	Customerid
Filename	Filename to be downloaded
Downloadcount	Number of times product has been downloaded
Downloadmaxcount	Maximum download limit
Downloaddatelimit	Last date download is allowed
Downloadcreatedate	Date this record was created
Downloadother	Unused
Downloadother1	Unused
Authorized	Not null means this download is authorized
Lastdownloaddate	Last date file was downloaded

2.25 Gifts

Giftid	Unique id
Giftnumber	Generated gift number
Giftissuedate	Date gift record created
Giftauthorized	If it is not empty, then gift certificate can be used
Giftamount	Initial amount
Giftamountremaining	Amount remaining
Giftorderid	Order number that created gift record
Giftcustomerid	Customer id that created gift record
Gifttoname	Name of recipient
Giftfromname	Sender
Gifttoemail	Email of receiver
Giftmessage	Message
Giftfromemail	Email of sender
Giftuseddate	Last time gift was used
Giftusedcustomerid	Customer record of user
Giftusedlastamount	Last amount used
Giftusedorderid	Last used ordered
Giftother	Unused
Giftexpirydate	Last date gift can be used
Giftusedcount	Number of times gift was used
Giftusedtrace	Trace record of order and amounts

2.26 Groups

groupid	Unique id
---------	-----------

groupname	Customer group name
groupstype	Customer group type : Static or Dynamic
groupdiscount	Discount
grouppropricefield	Product field to store price
grouppriority	Group priority in numberrring
groupdescription	Description of the group
groupsqlquery	Sql query saved for the group

2.27 Hackers

Hackerid	Unique Id
Ipaddress	Ip address of the hacker
Emailaddress	Email address or partial e-mail address
Comment	Unused
Other	Unused

2.28 Languages

id	Unique Id
Lang	Language name such as English
Keyword	Used internally such as Langcommoncontinue Do not change these names
Caption	Actual text of the phrase

2.29 Menuitem

id	Unique Id
Name	Display name of the menu item
Seq	Determines what order this menu item will appear in the menu
Pmenuitemid	If the menu item is to be in a dropdown sub-menu, you need to specify which top level item it should appear below.
Url	Url to the page you want to link to
Contentid	Unique id of content to link to
Openin	Open page in same or new window
Productmatch	If using product matching, which store this menu item belongs to

2.30 Mycompany

setupid	Unique Id
Companyname	Company name
Address	Address
City	City
State	State
Postalcode	Post code
Country	Country
Phonenumber	Phone number
Faxnumber	Fax number
Myemail	Email
Other1	Unused
Other2	Unused
Other3	Unused
Other4	Unused

2.31 News

newsid	Unique id
messagetype	A name for your news
headline	Headline of the news
newsimage	Image

hide	Hide this news
template	Template to be used. Optional
newslanguage	Language of this news
other1	Unused
other2	Unused
other3	Unused
loggedin	Show news only to logged in users
impressions	Number of times the news page was accessed
cdateadded	When the news was added
cdateupdated	When the news was updated
fullname	Customer full name
contactid	Customer contact id
contentgroups	Groups to be included
excontentgroups	Groups to be excluded
showonbox	Show on box
cNewsStartDate	Start Date
cNewsEndDate	End Date
showonhomepage	Show on Home Page
archive	Archive
metatitle	Meta Title
smFrequency	Frequency (for Google sitemap)
smPriority	Priority (for Google sitemap)
gsmincluded	Include in Google Site Map
metakeywords	Meta Keywords
metadescription	Meta Description
message	Details description of news
userid	The administrative user assigned to the news

2.32 Newsletter

nletterid	Unique ID
nletteremail	Email of subscriber
nlettercontactid	Customer id of subscriber
nletterfirstname	First name of subscriber
nletterlastname	Last name of subscriber
nletterip	IP address of subscriber
nlettergroup	Unused
nletterauthorized	Authorisation by admin, Yes or No
nletterreason	Reason of authorisation

2.33 Newsreviews

ID	Unique ID
contentid	ID of news
Authorized	A flag to determine whether the review has been authorized for display on your site
Reviewdate	Date when the review was submitted
Reviewtime	Time when the review was submitted
Title	Title of review
Comment	Review of news
Location	Location of reviewer
Name	Name of reviewer
Email	Email of reviewer
Other1	Unused
Other2	Unused

2.34 Oitems

orderid	Unique id
orderid	The index representing the specific order=OrderId
catalogid	The index representing the specific product catalogid
numitems	Quantity
itemname	The Product Name. The name may include product options.
unitprice	The Unit Price.
dualprice	The dual price for this item
supplierid	Number of supplier in suppliers table
Address	Delivery address. Fields are delimited by semicolons
Pinnumber	Used with pin number add-on
Customerimage	Path to an image uploaded to the order by the customer
features	Product features
downloadurl	URL to download file
producttype	Product type, can be Normal, Gift, Download, Bundled
bundleparentid	Parent id of the product bundle
bundleqty	Quantity of product bundle
variants	Unused

2.35 Orders

Orderid	Unique Id
Ocustomerid	Index back to Customer record
odate	Order Date
Orderamount	Total Price
Ofirstname	First name
Olastname	Last name
Oemail	Email
Oaddress	Address
Ocity	City
Opostcode	Post code
Ostate	State
Ocountry	Country
Ophone	Phone
Ofax	Fax
Ocompany	Company
ocardtype	Credit Card type
ocardno	Card Number
ocardname	Name on Credit Card
ocardexpires	Expiry date in form mm/yy
ocardaddress	Credit Card Address
Oprocessed	0 = unprocessed, 1=processed
Ocomment	User order special instructions
Otax	Tax
Opromisedshipdate	Unused
oshippeddate	Unused
Oshipmethod	Unused
oshipcost	Shipping cost
oshipname	Ship to name
oshipcompany	Ship to company name
oshipemail	Ship to email
oshipmethodtype	Shipping method in words
oshipaddress	Ship to address
oshiptown	Ship to city
oshipzip	Ship to zip code
oshipstate	Ship to state

oshipcountry	Ship to country
opaymethod	Unused
other1	Unused
other2	Unused
otime	Time of order
oauthorization	Authorization code for credit card banking systems
oerrors	Any table add errors are placed here. New 2.40
odiscount	The actual discount amount given to the customer
ostatus	Status of the order. This needs to be manually completed by the merchant.
oaffid	The unique affiliate number associated with this order
odualtotal	Dual Price total
odualtaxes	Dual Price taxes
odualshipping	Dual price shipping cost
odualdiscount	Dual price discount
ohandling	Handling Price
odualhandling	Dual Handling Price
coupon	Text name of coupon used for purchase
coupondiscount	Amount of discount
coupondiscountdual	Dual Discount Coupon amount
giftcertificate	Gift Certificate used
giftamountused	Amount of Gift certificate
giftamountuseddual	Dual currency amount used
canceled	Set to True if order was canceled.
ipaddress	IP address of site from which the order was made
Hackeryesno	Yes/No whether this person is a hacker. Not set automatically and is unused by Vp-ASP
customercancel	Unused.
opoints	Points for this order
Vatnumber	VAT number used
Commission	Affiliate commission
Opending	Order pending status
Shipmessage	Special shipping message
Oaddress2	Second customer address
Oshipaddress2	Second shipping address
Deliverydate	Delivery date
Deliverytime	Delivery time
Producttotal	Product only total
Oinsurancemethodtype	Text description of insurance type
Oinsurancecost	Cost of insurance
Oinsurancemethod	Unique ID of insurance method
Odualinsurance	Cost of insurance when dual pricing is on
Upstrackno	Tracking number issued by UPS
Opst	Holds Canadian PST value
Odualpst	Holds Canadian PST value
Otermsagreed	If yes, it means the customer has checked the "agree to license" checkbox
Affdatepaid	The date the affiliate associated with this order was paid
Affpaid	If yes, it means the affiliate associated with this order has been paid
Ocurrency	The currency the customer ordered in
Ocurrencyrate	The exchange rate the customer ordered in
storematch	Used to store the xShopId value when using one database for two site
osurchargefees	Surcharge Amount of this order.
odualsurchargefees	Dual Surcharge Amount of this order.
osurchargefeespercentage	Surcharge in percentage of this order
osurchargefeespercentagefees	Surcharge Amount, calculated by percentage of this order

osurchargefeesfixed	Surcharge Amount, calculated by Fixed of this order
osurchargestype	Surcharge Type of this order. Eg. Visa, Master

2.36 Ordertracking

trackid	Unique id
orderid	Order number
trackcomment	Comment/message
trackdate	Date
tracktime	Time
trackname	Person making comment
trackview	Allow customer to view yes/no
trackother	Unused
trackemail	E-mail of person making comment

2.37 Pinnumbers

serialid	Auto number generated
catalogid	The associated product catalogid for this record
pinnumber	The pin number to be used
orderid	Automatically filled in when the pin number is used
pinproductmatch	If the catalogid field is not used to match the product record. This is the field name to be used in the match. It is assumed to be a text field. For example ccode
pinother1	Unused

2.38 Prodcategories

Id	Unique id
intcategoryid	Category number
intcatalogid	Product catalog id

2.39 ProdFeatures

Id	Unique Id
featurenum	Feature Group Number
featurecaption	Feature Group caption that is displayed above drop down list
featurename	The feature name displayed in drop down list
featureprice	Feature price or null or 0
featureother	Unused
featuretype	If empty default to dropdown Values can be: dropdown radio checkbox usertext selectlist userprice quantity
featuremulti	Leave empty unless multiple different values can be selected. Then set Yes in this field.
featurerequired	True/False whether feature is required
featureother1	Unused
Featureimage	Image for feature
Featureweight	Weight of feature
Featurepercent	Percent of product price to be added
Featuredefault	Whether feature is a default value
Featureorder	Numbering that used for sorting feature

2.40 Products

catalogid	Unique id	
Ccode	Product Code	
Cname	Product Name - required	
cdescription	Description- required	
Cprice	Price - required	
features	An array of numbers such as 1,2,3 meaning features with featurenum 1,2 etc	
cimageurl	Image for the product. Will be displayed in shopdisplayproducts	
cdateavailable	Date available - unused	
Cstock	Stock level	
ccategory	Category Number - required. Determines which category a product is in	
category	Category Name – no longer used	
Mfg	Manufacturer – unused	
cdescurl	URL of extended description page. VP-ASP generates hyperlink to this page automatically Only used in shopdisplayproducts	
weight	Weight	
buttonimage	The name of a gif or jpg file that replaces the standard order button in shopdisplayproducts. mypic.gif	
subcategoryid	The number representing the subcategory to which this product belongs	
retailprice	Displays under Price in italics	
specialoffer	A text field that is bolded under descriptions and products are sorted so special offers appear at the top of the products listing	
allowusertext	A caption is entered in this field. This allows the buyer to enter up to 255 characters of information when ordering the product. Obsolete. This is now controlled by ProdFeatures FeatureType. Obsolete and replaced by Usertext feature.	
pothor1	Unused	
pothor2	Unused	
pothor3	Unused	
pothor4	Unused	
pothor5	Unused	
userid	The user who entered the product	
keywords	A list of keywords used in searching in the form abc, def	
template	If VP-ASP generates the extended description page, this HTML template to be used. If not specified the default template in shop\$config is used	
extendedimage	If VP-ASP generates the extended description this is larger image of the product that is displayed instead of the thumbnail	
extendeddesc	If VP-ASP generates the extended description page this is the long description of the product. It can have imbedded HTML controls	
selectlist	Used to generate a unique selection dropdown list. In the form: big,small,x-large	
level3	Unused	
level4	Unused	
level5	Unused	

supplierid	Number of the supplier in the suppliers table	
crossselling	A list of catalogids to be displayed when this product is displayed. The format is a list. 27,55,990	
hide	If set to TRUE, product is not displayed	
productmatch	Used to match products with different VP-ASP directories	
customermatch	Used to match customers with products they can "see"	
orderattachment	File name with complete drive address to be added to customer confirmation e-mail	
orderdownload	File name or URL of file to be generated at completion of the order	
points	Number of points for this product	
pointstobuy	Unused. For future points redeeming	
price2	Unused	
price3	Unused	
Billprice	Recurring billing amount	
Billinstallments	Number of installments	
Billinstallmenttype	Day, Week, Month, Year	
Billinterval	Interval between installments	
Maximumquantity	Maximum number that can be ordered	
Frontpage	Determines if product is displayed on home page	
Inventoryproducts	List of catalogids to be used for inventory control	
Taxfree	Product is tax free	
Freeshipping	Product has free shipping	
Highercatalogid	The unique ID of the product this product belongs to	
Spdisplaytype	Display type of sub products	
Hassubproduct	If the product has sub products	
Impressions	Number of times the product was viewed	
Cdateadded	When the product was added	
Cdateupdated	When the product was updated	
Templatelisting	Individual template file for product	
Extraimage1	Additional image1	
Extraimage2	Additional image2	
ExtralImage3	Additional image3	
ExtralImage4	Additional image4	
ExtralImage5	Additional image5	
Featuredflag	If yes, product is included in featured list	
Featuredflagorder	Sequence ordering number for featured flag product	
Rmadays	The number of days when product can be returned. If 0, product cannot be returned	
Customerimage	If yes, the customer can upload an image to the order for this product	
minimumquantity	Minimum number that can be ordered	
Groupfordiscount	Group name to apply a discount for the product	
Clanguage	Unused	
producttype	Product type : Normal / Gift / Download / Bundled	
youtube	Youtube Movie link	
movie	Movie	
productmetatitle	Meta Title	
variants	Unused	
smFrequency	Frequency (Google Site Map)	
smPriority	Priority (Google Site Map)	
gsmincluded	Yes or No to Include in Google Site Map	
loggedin	Yes or No logged in status	
excustomermatch	Groups to be excluded	

productmetakeyword	Meta keywords	
productmetadescription	Meta description	
ProProCatDisplayCategoryID	Categories ID to Cross-Sell	
bundleproidqty	Bundle CatalogID & Qty	
cdateend	Unused	version 7.02
featuredflag2	If yes, product is included in second featured list	version 7.02
featuredflagorder2	Sequence ordering number for featured flag product in the second featured list	version 7.02
largeextendedimage	For product main image zoom	version 7.02
largeextrimage1	For additional product image zoom	version 7.02
largeextrimage2	For additional product image zoom	version 7.02
largeextrimage3	For additional product image zoom	version 7.02
largeextrimage4	For additional product image zoom	version 7.02
largeextrimage5	For additional product image zoom	version 7.02
displayproducttab	Unused	version 7.02
tapcaption	Unused	version 7.02
tapdescription	Unused	version 7.02
gpf_variant_color	For Google Product Feed variant color that links to Product Feature	version 7.02
gpf_variant_size	For Google Product Feed variant size that links to Product Feature	version 7.02
gpf_variant_pattern	For Google Product Feed variant pattern that links to Product Feature	version 7.02
gpf_variant_material	For Google Product Feed variant material that links to Product Feature	version 7.02
gpf_variant_brand	For Google Product Feed variant brand that links to Product Feature	version 7.02
gpf_variant_ageGroup	For Google Product Feed variant age group	version 7.02
gpf_variant_gender	For Google Product Feed variant gender	version 7.02
gpf_category	For Google Product Feed category	version 7.02
gpf_variant_color_manual	For Google Product Feed single variant color	version 7.02
gpf_variant_size_manual	For Google Product Feed single variant size	version 7.02
gpf_variant_pattern_manual	For Google Product Feed single variant pattern	version 7.02
gpf_variant_material_manual	For Google Product Feed single variant material	version 7.02
gpf_variant_brand_manual	For Google Product Feed single variant brand	version 7.02

2.41 Productvariants

variantid	Unused
productid	Unused
stock	Unused
featureid	Unused

2.42 Projects

Pid	Unique id
Pdate	Date entered
description	Short description of service
customer	Customer name
customeremail	Customer e-mail
price	Price to be charged
dualprice	Dual price if used
paid	Set to Yes if paid if using automatic project updating
datepaid	Set to order date if using automatic project updating
processed	determines if automatically displayed on projects report
orderid	order number associated with payment. Updated with order number if using automatic project updating

canceled	Unused
comments	Unused
other1	Unused
other2	Unused
other3	Unused
Billid	Recurring billing identifier
Billdescription	Used for recurring billing

2.43 Quantitydiscounts

Id	Unique ID
Categoryid	Discount to apply to products in this category
Catalogid	Discount should apply to this specific product
Minquantity	The minimum quantity before the discount should apply
Quantity1	The upper level of the quantity
Discount1	The amount of discount
Quantity2	The next quantity range
Discount2	The amount of discount for second range
Quantity3	The next quantity range
Discount3	The amount of discount for third range
Quantity4	The next quantity range
Discount4	The amount of discount for fourth range
Quantity5	The next quantity range
Discount5	The amount of discount for fifth range
Other	Unused
Groupfordiscount	Group name to apply a discount across a range of products.

2.44 Registrant

Registrantid	Unique ID
Firstname	First name
Lastname	Last name
Address	Address
City	City
State	State
Postcode	Post code
Country	Country
Company	Company
Phone	Phone number
Workphone	Work phone number
Mobilephone	Mobile number
Fax	Fax number
Email	Email
Comments	comments
Logincount	Number of times the customer has logged into your store
Lastlogindate	This is the last date that the customer logged into your store
Regpassword	Registrant's password for logging in and editing the gift registry
Publicpassword	Public password for logging in to buy/browse the registry
Eventdate	Date of when the event will take place
Eventtype	Type of event, e.g. Anniversary, wedding
Eventdateend	End date of event
Cofirstname	Co-Registrant first name
Colastname	Co-Registrant last name
Coaddress	Co-Registrant address
Cocity	Co-Registrant city
Costate	Co-Registrant state
Copostcode	Co-Registrant post code
Cocountry	Co-Registrant country
Cophone	Co-Registrant phone number
Coemail	Co-Registrant email
Sendfirstname	First name used for sending
Sendlastname	Last name used for sending
Sendaddress	Address used for sending
Sendcity	City used for sending
Sendstate	State used for sending
Sendpostcode	Post code used for sending
Sendcountry	Country used for sending
Sendphone	Phone number used for sending
Sendemail	Email used for sending
Regdate	Date when the registry was created
Regtime	Time when the registry was created
Thankyounote	Text to display to customers who purchased for this registry
Shippingtype	Shipping type chosen for shipment of the registry items to the registrant
Regorderid	Order ID of the registry
Publicallowed	Whether the general public can access this registry without a password
Regother1	Unused
Regother2	Unused
Processed	Whether the registry has been completed and shipped to the registrant

2.45 Registryitems

Regitemid	Unique ID
Registrantid	Unique ID of registrant

Orderid	Order ID this registry is associated with
Regcatalogid	The catalog ID of this product
Numitems	Number of this product added to the registry
Itemname	Name of item
Unitprice	Unit price of product
Dualprice	The dual price for this product
Supplierid	ID of the supplier that this product is sourced from
Address	Unused
Numpurchased	Number of this item that have been purchased from the registry
Purchaseorderid	Order IDs of the orders that have purchased this item for this registry

2.46 Reviews

ID	Unique ID
Catalogid	ID of product review
Authorized	A flag to determine whether the review has been authorized for display on your site
Reviewdate	Date when the review was submitted
Reviewtime	Time when the review was submitted
Rating	Rating of product
Title	Title of review
Comment	Review of product
Location	Location of reviewer
Name	Name of reviewer
Email	Email of reviewer
Other1	Unused
Other2	Unused

2.47 Savedcars

Id	Unique ID
Cartname	The customer name for this cart
Customerid	The customer id that created the cart
Cartcookies	Actual value of the stored cart
Savedate	Date cart created
Savetime	Time cart was created
Other1	Unused
Catalogid	Catalog id for single product wish list

2.48 Savedquery

Id	Unique ID
sqlqueryname	Name of saved query
sqlquery	Sql syntax

2.49 Searchresults

Id	Unique ID
Rdate	The date the search was completed
Rtime	The time the search was completed
Categories	Categories that the customer choose to search
Subcategories	Subcategories that the customer choose to search
Words	Words the customer entered to search on
Lastname	Customer's last name (if they were logged in)
Customerid	Customer's customer ID (if they were logged in)
Ippaddress	Customer's IP address
Rother1	Unused
Rother2	Unused

2.50 Shipmethods

Shipmethodid	Unique ID
Shipmethod	Name of shipping method
Smprice	Price of shipping method
Shipbasecost	Base cost and are added regardless
Shipextracost	Extra cost applied to shipping based: Quantity/quantity range: multiplied by items Weight: multiplied by the weight you specify on the product and quantity Weight range: multiply by remaining weight
Shipother1	Contains the lower range of quantity or weight range
Shipother2	Contains the higher range of quantity or weight range
Shipcost1	Contains the minimum price in price range
Shipcost2	Contains the maximum price in price range
Shiproutine	File to calculate shipping cost
Shipcountry	Country this shipping method applies to
Shipstate	State this shipping method applies to

2.51 Shopcountries

countryid	Unique ID	
country	Country abbreviation such as US	
countryname	Long name of country	
countrydisplayorder	Set to allow certain countries to display ahead of the table	
countryhide	Display country in drop down list	
countrytaxrate	Tax rate	
countrygroup	Set to EU for EU countries but unused otherwise.	
countryhacker	Set True to include the country in the hacker list.	
countrypppmtstandard	For paypal payment	version 7.02
countrypppmtadvanced	For paypal payment	version 7.02
countrypppmtpro	For paypal payment	version 7.02
countrypppfink	For paypal payment	version 7.02
countrypppfpro	For paypal payment	version 7.02
countrypppexpcheckout	For paypal payment	version 7.02

2.52 Shoprma

rmaid	Auto number
rma	Actual RMA number
rmacreationdate	Date RMA was created
rmacustomeraction	The customer action
rmamerchantaction	The Merchant action
rmaorderid	The orderid
rmaitemid	The item within oitems table
rmacustomername	Customer name
rmacustomeremail	Customer email
rmacustomerid	Customer id
rmarefundamount	Refund amount
rmamerchantdate	Merchant response date
rmamerchantname	Merchant name
rmamerchantemail	Merchant email
rmacustomercomment	Customer comment
rmamerchantcomment	Merchant Comment
rmaother1	Unused
rmaother2	Unused
rmamerchantnotes	Private notes for merchant
rmaprocessed	Processed. Used in similar manner as display orders

rmaproductname	Product name taken from oitems table
----------------	--------------------------------------

2.53 Shopstates

stateid	Unique ID
stateabbrev	Two or three character abbreviation
statename	Long name
statecountry	Two character country code
statehide	Yes or no to display state
statetaxrate	Tax rate
Shopcanadapst	The PST rate for Canadian provinces

2.54 Sitesessions

id	Unique ID
Sessionkey	Unique session id
Sessionvaluename	Name of value being held
Sessionvalue	Value
Sessiondate	Date Session created
Sessiontime	Time Session created
Sessionnow	System time in now format used in cleanup

2.55 Stocknotification

id	Unique id
contactid	Customer id
catalogid	Product catalog id

2.56 Suppliers

supplierid	Unique id
name	Supplier name
supplieruserid	userid
firstname	First name
lastname	Last name
address	Address
city	City
state	State
postcode	Post code
country	Country
company	Company
phone	Phone number
workphone	Work phone number
mobilephone	Mobile number
Fax	Fax number
Email	Email
comments	comments
logincount	Login count
lastlogindate	Last login date of the supplier
website	Supplier website
supplierpassword	Password
accountno	Unused
template	Template for mailing
commissionrate	Commission rate
other1	Unused

2.57 tblAccess

Fldauto	Unique id
---------	-----------

Fldname	The name displayed on the menu
Fldurl	The actual URL of htm or asp file to execute
Fldcomment	Displayed by shopadmin.asp on right hand side of menu.
flddatabase	Unused
fldSection	Top admin menu name
fldMenu	Top admin sub menu name
fldOrder	Menu ordering sequence number
fldimage	Image of the menu
fldlevel	Parent / child menu level .e.g 1 or 2

2.58 *tblaudithist*

id	Unique id
userid	Admin userid
createdate	Date of access
createtime	Time of access
description	Admin activities logs
ipaddress	IP address of the admin

2.59 *tblLog*

fldauto	Unique id
fldusername	Userid
fldtime	Time of login
flddate	Date of Login
fldinout	Values are In for Login
fldipaddress	IP address of administrator login

2.60 *tblmenuheader*

fldauto	Unique id
fldSection	Top admin main menu
fldlink	Link of the menu
fldOrder	Ordering sequence number

2.61 *tblUser*

fldauto	Unique Id
fldusername	Userid
fldpassword	Password
fldaccess	A list of numbers 1,2,3 relating to tblAccess fldAuto.
flddatabase	Unused
tablesallowed	A string of table names that the user is allowed to view and edit. Customers,Orders,tblUser,etc..
admintype	Two types are supported. SUPER and Restricted
uploaddirectory	Unused
adminother1	Unused
Shortcut	A list of menu items to include in shortcuts list
logincnt	Login counts

2.62 *Templates*

Id	Unique id
Templatename	Name of template
Template	Template code

2.63 *Translateblogs*

translateid	Unique id
-------------	-----------

lang	Language that this translation belongs to
blogsid	Blog ID for the blog that this translation is linked to
headline	Translated text for the headline
message	Translated text for the message
metatitle	Translated text for the meta title
metadescription	Translated text for the meta keywords
metakeywords	Translated text for the meta description

2.64 Translatecategories

Translateid	Unique id
Lang	Language that this translation belongs to
categoryid	Category ID for the category that this translation is linked to
catdescription	Translated name for this category
categorymetatitle	Translated text for the meta title
categorymetakeyword	Translated text for the meta keywords
categorymetadescription	Translated text for the meta description

2.65 Translatecontent

Translateid	Unique id
Lang	Language that this translation belongs to
contentid	Content ID for the content that this translation is linked to
Message	Translated text for the message field of the content
Message2	Translated text for the message2 field of the content
metatitle	Translated text for the meta title
metakeywords	Translated text for the meta keywords
metadescription	Translated text for the meta description

2.66 Translatenews

translateid	Unique id
lang	Language that this translation belongs to
newsid	News ID for the news that this translation is linked to
headline	Translated text for the headline
message	Translated text for the message
metatitle	Translated text for the meta title
metadescription	Translated text for the meta keywords
metakeywords	Translated text for the meta description

2.67 Translateprodfeatures

Translateid	Unique id
Lang	Language that this translation belongs to
id	Feature ID for the feature that this translation should be linked to
Featurecaption	Translated text for the caption field of the feature
featurename	Translated text for the name field of the feature

2.68 Translateproducts

Translateid	Unique id
Lang	Language that this translation belongs to
Catalogid	Catalogid ID for the product that this translation should be linked to
Cdescription	Translated text for the description field of the product
Cname	Translated text for the name field of the product
extendeddesc	Translated text for the more field of the product
productmetatitle	Translated text for the meta title
productmetakeyword	Translated text for the meta keywords
productmetadescription	Translated text for the meta description

2.69 Ups_config

Upsid	Unique id	
Xzeroweighterror	Produce an error when a product with zero weight is selected	
Xautoseparateweight	Seperate packages for shipping when weight is above this vvalue	
Xautoseparatepackages	Seperate packages for shipping if weight is above the value in the Auto-seperate weight field	
Xsuppliershipfield		
Xusesupplierzip	Calculate shipping costs relevant to your suppliers location	
Xindividualpackages	Allow certain products to be shipping individually	
Ups_weightunits	Unit of weight	
Ups_residentialind	PO Boxes will not be accepted	
Ups_unitofmeasurement	Unit of measurement	
Packagingtype	Packaging type	
Pickuptype	Pickup type	
Xmerchantcountry	Merchant country	
Xmerchantstate	Merchant state	
Xmerchantcity	Merchant city	
Xmerchantpostcode	Merchant postcode	
Accesslicencenum	UPS license number in encrypted string	
Username	UPS username in encrypted string	
Password	UPS password in encrypted string	
Developerkey	Developer key in encrypted string	
Gatewaylocation_license	UPS url	
Gatewaylocation_register	UPS url	
Xml	XML version to use	
Xcheckindividualproductfield	Field in product to use to check for individual packaging	
Xcheckindividualproduct	Yes/No	
Xdimensionfield	Field to store dimension in product	
Ups_dimensions	unused	
Gatewaylocation_paymenttest	Payment gateway location for testing	
Gatewaylocation_payment	Payment gateway location for production	
Testmode	Set to testmode	
Xupsacctno	UPS account number	
Dimensions	Dimension of product	
Xtrace	For debugging code	
Xtracexml	For debugging XML request and response	
Gatewaylocation_trackingtest	Tracking gateway location for testing	
Gatewaylocation_tracking	Tracking gateway location for production	
xUPSDisplayNegotiatedRates	Yes/No for negotiated rate	version 7.02