



VP-ASP Shopping Cart

Option Package

Version 5.50

August 24, 2004

Copyright
Virtual Programming Pty Ltd
PO Box 1715
Tuggeranong, ACT 2901
Australia
support@vpasp.com
www.vpasp.com

Table of Contents

1	VP-ASP OPTION PACKAGE.....	3
2	AFFILIATE PROCESSING.....	6
3	MAILING USING TEMPLATES.....	20
4	MAILING TO MULTIPLE PEOPLE	22
5	COUPONS.....	25
6	GIFT CERTIFICATES.....	28
7	MAILING TO SUPPLIERS	32
8	HTML MAILING.....	33
9	PRODUCT RATING AND REVIEWS	34
10	PROJECTS PAYMENTS	36
11	ORDER TRACKING.....	40
12	IMAGE UPLOADING	42
13	POINTS SYSTEM.....	44
14	IMPORTING DATA	46
15	STATIC HTML PAGES	47
16	SECURE DOWNLOADS.....	49
17	BULK UPDATING – SHOPA_EDITSTOCK.ASP	51
18	SESSION LESS AND COOKIES LESS SHOPPING CART.....	52
19	SMS MESSAGES	55



1 VP-ASP Option Package

The Option Package is designed to work with Version 5.50 of the VP-ASP Shopping Cart. These features will not work with previous releases of the VP-ASP Shopping Cart. If you wish to obtain a copy for a previous release of VP-ASP, please contact us.

1.1 VP-ASP Option Package

The VP-ASP Option package provides enhanced features and facilities.

- Affiliate processing and reporting
 - Mailing to customer and merchant by templates
 - Generic Template handling
 - Customer Discount Coupons
 - Gift Certificates
 - Mail to Suppliers
 - HTML mailing
 - Product ratings and reviews
 - Project services using VP-ASP for payment
 - Order Tracking
 - Image uploading
 - Points/loyalty system
 - Generate static HTML
 - Secure digital downloads
 - Mail on Processed orders
 - Merchant restore of orders
 - Cookieless Processing
-

1.2 More Information

We continually add information to our web site <http://www.vpasp.com>

Please check for **What's new** and **Frequently Asked Questions**. Your questions may already be answered.

1.3 Other Add-ons

VP-ASP has a number of add-ons. The Gift Registry, Pin Numbers and Recurring Billing. Details can be found on our main web site.

1.4 Installation

The VP-ASP Option Package can only be used with Version 5.50 of VP-ASP Shopping Cart.

1. Unzip all the files.
2. Transfer them to your web site using FTP.

The VP-ASP Option Package is installed. You now may need to configure each of the components that you plan to use. Except as noted below, the Option Package is all new code and does NOT replace any existing VP-ASP Shopping Cart Code.

1.4.1 Files Changed for Option Package

The Option Package simply replaces dummy pages and does not otherwise change any working VP-ASP Files.

1.5 Installation Using Version 5.50 Plus

If you purchased VP-ASP 5.50 **Plus** or **Deluxe**, then the VP-ASP Option Package is already integrated and there is no extra install to be done.

1.6 Set-up VP-ASP Option Package

Each of the various components of the VP-ASP Option Package has their own configuration. Logging into the VP-ASP administration System and selecting “Configure Shopping Cart” will plish this.

Field name

Reload Shop Configuration

VP-ASP Shopping Cart Configuration	
1.	Merchant details
2.	Products 1
3.	Products 2
4.	Customer Information
5.	Payments
6.	Shipping
7.	International
8.	Stock Control
9.	Option Package-Gifts,Coupons,tracking,mailing
10.	Affiliate
11.	Template file
12.	Buttons and navigation
13.	Administration Security
14.	Advanced
15.	Language
16.	View Current Shop Configuration
17.	Edit

Some may be as simple as altering a line in the configuration file and others may be more complex.

Option Package-Gifts,Coupons,tracking,mailing

xallowcoupons	No <input type="button" value="v"/>	
xallowratingproducts	No <input type="button" value="v"/>	
xallowratingssummary	No <input type="button" value="v"/>	
xemailwithtemplates	No <input type="button" value="v"/>	
xgiftautoenable	No <input type="button" value="v"/>	
xgiftcertificates	No <input type="button" value="v"/>	
xgiftexpirydays	<input type="text" value="365"/>	
xgiftlimit	<input type="text" value="100"/>	
xgiftprefix	<input type="text" value="Gift"/>	
xgiftproductid	<input type="text" value="99999"/>	
xgiftregistry	No <input type="button" value="v"/>	
xgifttemplate	<input type="text" value="db=tmp_gift.txt"/>	
xmailto suppliers	No <input type="button" value="v"/>	
xpoints	No <input type="button" value="v"/>	
xpointsfield	<input type="text" value="points"/>	
xpointsredeem	No <input type="button" value="v"/>	
xprojectcatalogid	<input type="text" value="9998"/>	
xprojecttemplate	<input type="text" value="db=tmp_project.txt"/>	
xprojectupdate	No <input type="button" value="v"/>	
xratingauthorize	No <input type="button" value="v"/>	
xratingmailtomerchant	No <input type="button" value="v"/>	
xratingproducthyperlink	No <input type="button" value="v"/>	

2 Affiliate Processing

Affiliate processing allows you to associate individual orders with another site, person or company. The site links to your shopping site passing their affiliate number. VP-ASP remembers that number and adds that number to any orders processed for that customer for that session.

The affiliates table can be in the same database or a different database. By default it is in the same database as the rest of the VP-ASP tables.

2.1 VP-ASP Facilities

1. Associates individual orders with an affiliate
2. Detailed reports which include:
 - The number of links to your site for each affiliate
 - The number of orders
 - The total of all orders
 - Date of last link to your site
 - Commission reports
3. Ability to add, alter affiliates using standard VP-ASP administration
4. Affiliate Administrator. Affiliates can review orders and change their details.
5. Ability to have both a master affiliate and sub affiliates
6. Ability for customer to select the affiliate if no link is provided

2.2 How it Works

The affiliate must link to your site with a hyperlink or form specifying

<code>shopaff.asp?affid=n</code>	Affiliate links to site and takes all defaults
<code>shopaff.asp?affid=n&id=yyyy</code>	Affiliate links to site but goes to display specific product with catalogid yyyy
<code>shopaff.asp?affid=n&directurl=http://someplace.com</code>	The directurl tells VP-ASP to go to a specific url. It can be a file name or full URL

Where n is the assigned affiliate number. This is the affid in the affiliate table. If the affiliate does not exist, VP-ASP goes to your home page. No error occurs. If you want the affiliate to be directed to a specific product, specify the catalogid of the product as id=yyyyy.

If the affiliate exists, the login count and login date is updated. Each affiliate can have a unique page on your site and VP-ASP will automatically link to that page. If no page is specified in the field **directurl** in the affiliates table then VP-ASP goes to your home page.

2.3 New Report Program

New reporting programs have been provided that allows you to:

- Summarize all affiliate activity
- View orders for a specific affiliate
- View account details by date range
- Edit affiliate records

2.4 Registering an affiliate

Affiliates can register themselves by linking to **shopaffregister.asp**. Or you can use normal VP-ASP administration facilities to add names to the affiliates table.

2.5 Configure the Affiliate System

The affiliate system needs some information about your site before you can use it. The configuration involves:

1. Login to the Administration section and select “Affiliates” from Configure Shopping Cart.
2. Edit shopaffuserinfo.htm with text that you want to display when a new affiliate registers.
3. Optionally create a page or pages on your own web site that describe your affiliate system.

2.6 Affiliate Options

Certain options need to be set in VP-ASP configuration. You **MUST** alter these before you allow self-registration using shopaffregister.asp

Affiliate	
affallowaffiliatesrevieworders	No <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affallowlinkreport	Yes <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affcommissioncategories	<input type="text" value=""/> <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affcommissioncategory	No <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affcommissionincludesallorders	No <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affcommissionIncludesshipping	No <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affcommissionproduct	No <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affcommissionproductfield	<input type="text" value=""/> <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affcommissionrate	.10 <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affdirecturl	shopdisplaycategories.asp <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affinfourl	http://www.yoursite.com/yourinfopage.htm <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affmastercommissionrate	.05 <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affmultilevel	No <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affpaymenttypes	Bank Transfer,Paypal,Check <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affsubject	Your Affiliate System <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
affwebsite	http://www.yoursite.com <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
xaffiliatedb	<input type="text" value=""/> <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>
xaffiliateusecookies	Yes <input style="background-color: #000080; color: #ffffff; border: 1px solid #000080; padding: 2px 5px;" type="button" value="?"/>

affallowaffiliatesrevieworders	Can the affiliate review orders via the customer service
affcommissionincludesallorders	When calculating commission, should all orders be used or only those marked “processed”
affcommissionIncludesshipping	Should commission include shipping costs
affcommissionrate	The default commission rate. It can be altered for each affiliate by

	editing their record
affdirecturl	The default page to display when an affiliate links to your site
affinfourl	A location on your site that describes your affiliate system
affpaymenttypes	How you will pay your affiliates
affsubject	Your Affiliate System
afftemplateaffiliate	tmp_affiliate.txt
afftemplateMerchant	tmp_affmerchant.txt
affwebsite	http://www.yoursite.com
xaffiliatedb	You can have the affiliates in a separate table
xaffiliateusecookies	No. If you use Yes, more sales will be associated with an affiliate since the cookie will remember where the customer originally came from. We recommend that Yes be the default
affmultilevel	Yes means that there can be referring affiliates
affmastercommissionrate	The default commission rate for a master affiliate
affcommissioncategory	Yes means that commissions are paid by category
affcommissionproduct	Yes means commission is paid by product
affcommissionproductfield	The field in the products table where the commission value is found
Affmailorder	Yes means to e-mail affiliate at the end of an order
Affmailorderdetails	Tmp_affmailorderdetails.txt Template used to mail affiliate at end of order
Affmailordername	Tmp_affmailordername.txt Template with affiliate details used in constructing the order detail message
Xaffcustomerform	Generates a list of affiliates on customer checkout form
Xaffheaders	Yes Vp-ASP attempts to display headers and footers specific to the affiliate

2.7 Information - Shopaffuserinfo.htm

On the affiliate registration page, shopaffregister.asp, you can provide information about your program by editing file **shopaffuserinfo.htm**. This file is plain HTML should not include any html start or ending code. It is included as part of shopaffregister.asp.

2.8 Affiliate Service – Shopaffadmin.asp

Affiliates can register themselves, login and review any orders. We recommend that you have a hyperlink on your site that points to this file.

Affiliate Service
1. Login
2. Distributer / Affiliate registration
3. Affiliate Report
4. Link Report

[Start as new user](#)

2.9 Affiliate Registration

File **Shopaffregister.asp** has been supplied to allow an affiliate to register.

There are two ways to register an affiliate. One is to allow the affiliate to register themselves using **shopaffregister.asp**. This form is shown below.

The second is for the shop administrator to add the affiliate in the administration section of VP-ASP Shopping Cart.

The form below is displayed by **shopaffregister.asp**. It allows for new registrations and existing affiliates to update their details.

You can edit an html file *shopaffuserinfo.htm* and include additional information about your affiliate program right here.

[Login](#)

* First Name	<input type="text"/>
* Last Name	<input type="text"/>
* Email	<input type="text"/>
* Address	<input type="text"/>
* City	<input type="text"/>
* State	<input type="text"/>
* Post Code	<input type="text"/>
* Country	<input type="text"/>
* Phone	<input type="text"/>
* Password	<input type="password"/>
Type of Payment	Select <input type="text"/>
Website	<input type="text"/>
Company	<input type="text"/>
Fax	<input type="text"/>

2.10 Master Affiliates

A master affiliate can either register a sub affiliate or have the sub affiliate register by linking to

`shopaffregister.asp?refid=m`

`m` is the master affiliates affiliate id.

2.11 Affiliate Login – shopafflogin.asp

Affiliates can login and then alter their details or review any orders.

Affiliate #	<input type="text"/>	Last Name	<input type="text"/>	Password	<input type="text"/>	<input type="button" value="Login"/>
-------------	----------------------	-----------	----------------------	----------	----------------------	--------------------------------------

2.12 Affiliate Reports

Affiliates can see what orders have been made.

If you do not wish affiliates to be able to see orders, change the following line in VP-ASP configuration.

affallowaffiliatesrevieworders	Yes Affiliates can see what orders are associated with them
affmultilevel	Yes Gnerates a link to sub affiliate reports

Affiliate # 1	
First Name	Howard
Last Name	test
Orders	
Orders	1
Amount	\$19.85
Commission	\$0.99
Last Date	25/04/02
Links	
Links	2
Last Date	25/04/02

List all affiliates

The report includes the number of orders and the last order date, the number of links and the last link date. And the commission for the orders generated.

2.13 Link Report

A link report allows the affiliate to see when and how many links have been made on a daily, monthly basis. The first portion is a question asking for what date period the report should be shown.

Links

From Date Month Today

To Date Year Yesterday

2.13.1 Link Report Results

The results below are for a yearly report. The number at the top, total 2 is the total number of links. Then for each month in the year, the totals are displayed.

Report for 1/1/2002 to 12/31/2002

Total 2	
Month	Links
January	0
February	0
March	0
April	0
May	0
June	0
July	0
August	0
September	0
October	0
November	0
December	2

2.14 Confirmation of Registration

Upon registration and change, a confirmation page will appear to confirm the changes. For new registrations, an e-mail confirmation is sent to both the affiliate and the merchant.

Thank you for becoming an affiliate of Your Affiliate System
If your details are not correct, use the back button and correct your details.
[Click for more affiliate information](#)

You should link to this site using this URL
<http://www.yoursite.com/shopaff.asp?affid=1>

Affiliate # 1	
First Name	Test
Last Name	Affiliate
Address	3 Test Place
City	Test City
State	FL
Post Code	33313
Country	US
Email	test@abcdef.com
Phone	5555555555
Password	testaff
Payment Information	
Payment Type	Check

2.15 E-mail Confirmation of Registration

When a new affiliate registers, both the merchant and the affiliate receive an e-mail confirmation. Templates are used to send the e-mail and they can be customized to your site. Templates are plain text files.

Two templates are supplied and you can alter these or supply your own.

tmp_affiliate.txt for mail confirmation to the affiliate
tmp_affmerchant.txt for mail confirmation to the merchant

2.16 Affiliate Template

The sample affiliate template is shown below. More information about templates is in the next section. Templates are a combination of text and special codes in []. These codes tell VP-ASP to substitute fields from the database. In this case data is being taken from the affiliates table such as the affiliate id, name, country, phone and e-mail.

2.16.1 Sample tmp_affiliate

Thank you for becoming an affiliate.

*Affiliate ID: [Affid]
Name: [FirstName] [LastName]
Country: [Country]
Phone: [Phone]
Email: [email]*

2.17 How Affiliate Links to Your Site

An affiliate places a hyperlink on their site. This hyperlink goes to your site as

shopaff.asp?affid=n	Affiliate links to site and takes all defaults
shopaff.asp?affid=n&id=yyyy	Affiliate links to site but goes to display specific product with catalogid yyyy
shopaff.asp?affid=n&directurl=http://someplae.com	The directurl tells VP-ASP to go to a specific url. It can be a file name or full URL

For example

```
http://www.yoursite.com/shopping/shopaff.asp?affid=nnn  
http://www.yoursite.com/shopping/shopaff.asp?affid=nnn&id=yyyy
```

The nnn is the affiliate id assigned during registration. You can set up a default page the affiliate can be directed to by setting field **DirectURL** in the affiliates table. This means you can set-up different pages on your site where different affiliates will be directed. The default location is set in VP-ASP configuration

affdirecturl	shopdisplaycategories.asp
---------------------	---------------------------

It is possible that the customer may not buy goods at this time but may come back in the future without the affiliate link. To associate this subsequent order with the affiliate, a cookie must be left on the customer's PC. You can do this by setting the following in VP-ASP Configuration.

Affiliateusecookies	Yes
----------------------------	-----

2.18 Affiliate Headers

When affiliates link to your site they would normally see your normal shoppage_hader.htm and shoppage_trailer.htm. By using the configuration option below, VP-ASP tries to display affiliate specific headers in the form

Affxxx_header.htm an affxxx_trailer.htm

Xaffheaders	Yes VP-ASP attempts to display headers and footers specific to the affiliate
--------------------	--

The facility uses in processing headers in an ASP 3.0 Windows facility called execute. This means that this facility will not work properly on old ASP systems such as Windows 95 or 98 which only has ASP 2.0. Because these files are ASP "executed" they need to either be plain HTML or if they use ASP in any way, they should have an include for shop\$db.asp.

Examples are shown below for

aff1_header.htm

```
<html>  
<head>  
<title>VP-ASP Shopping Cart aff1</title>  
<link rel="stylesheet" href="shop.css" type="text/css">  
<meta NAME="description" content="A comprehensive ASP only shopping cart solution for  
use in business and web development.">  
</head>
```

```
<body bgcolor="#FFFFFF" topmargin="0" leftmargin="0" marginwidth="0"
marginheight="0">
<div align="center">
<!-- Start: Main display-->
<center>
```

Aff1_trailer.htm

```
<!-- #include file="shop$db.asp" -->
<%Navigateshowminicart ""%>
</center>
</body>
</html>
```

2.19 Customer Form

An alternative to the linking above, you may have a list of affiliates listed on the customer checkout form. This would allow the customer to select the associated affiliate

Xaffcustomerform	Yes Generates a list of affiliates on customer checkout form
-------------------------	--

Please select a Shipping Method
If shipping to a location other than your customer address, please fill in all fields

* First Name	<input type="text"/>	* Shipping Method	Airmail [10.00] ▼
* Last Name	<input type="text"/>	Ship to Name	<input type="text"/>
* Address	<input type="text"/>	Address	<input type="text"/>
* City	<input type="text"/>	City	<input type="text"/>
* State	<input type="text"/>	State	<input type="text"/>
* Post Code	<input type="text"/>	Post Code	<input type="text"/>
* Phone	<input type="text"/>	Country	<input type="text"/>
* Email	<input type="text"/>	Company	<input type="text"/>
Country	<input type="text"/>		
Company	<input type="text"/>		

Join our mailing List

Affiliate

Affiliate #	<input type="text"/>
Affiliate	Select ▼

Order Comments and Special Requests

2.20 Affiliate Reports

A date range can be specified. All affiliates who had links to your site during that period are displayed. If an affiliate is registered but had no links to your site, they are omitted from the report. To override this date check, select "List all affiliates". If this box is checked, the dates are ignored and a report for all affiliates is provided.

Each affiliate that had at least one visit to your site during the period is displayed. Login Count represents the number of site visits. Orders represent the number of orders. The orders can be displayed as well as a report on your affiliate accounts

Affiliate Reports	
1.	List all affiliates
2.	Orders for affiliate
3.	Links
4.	Edit Affiliate
5.	Edit Links

The administrative reports are available.

1. List Affiliates – provides a complete list of all affiliates. From there you can get individual order or link reports.
2. Commission report allows you to select dates for which commission could be paid.
3. Links Report allows you to specify a range of dates for which links can be displayed.
4. Edit Affiliate allows you to edit the affiliates table.
5. Edit Links, edits the affiliate log table.

2.21 List Affiliates Report

The detailed report shows you:

- Affiliate identifier
- Link Count - the number of times someone linked to your site
- Order Count - the number of orders received
- Amount - total amount of all the orders
- The affiliate name
- Commission - an approximate commission based purely on multiplying the amount by the commission rate. The actual commission is calculated using a complex formula in the affiliate accounts report

From this report you can view the individual orders or create a summary report for that affiliate.

Affiliate Report								
AffID	Report	Orders	Links	Link Count	Last Date	Orders	Amount	Name
1	Account Reports	View Orders	Links	1	12/26/2002	3	\$38.00	Test person
2	Account Reports	View Orders	Links	3	12/26/2002	1	\$19.85	John Buyer

Total Sales \$57.85
Number of sales 4
Number of Site Visits= 4
Number of Affiliates= 2

Affid	Affiliate id. By clicking on it you will see a formatted affiliate record
Report	Obtain a commission report
Orders	Obtain a list of orders
Links	Obtain a list of hyperlinks
Link Count	Number of links recorded in the affiliates record
Last Date	Last date the affiliate linked to your site
Orders	Number of orders record. This is a gross number and may include unprocessed orders
Amount	Total amount of orders
Name	The affiliate name

2.22 Commission Reports and Links Report

The account reports, Orders and Link reports can be date based. When clicking on them, you will be asked to enter the date range for which the report applies

Affiliate Reports

From Date	Month <input type="text"/> <input type="button" value="Select"/>	<input type="radio"/> Today
To Date	Year <input type="text"/> <input type="button" value="Select"/>	<input type="radio"/> Yesterday

Max rows for detailed display

2.22.1 Commission Report List

The date report will list all affiliates who had orders in the period specified. By using the View Orders or Links. Date reports are available for orders and links.

Affiliate Report 12/ 1/ 2002 - 12/ 31/ 2002

AffID	Report	Orders	Links	Link Count	Last Date	Orders	Amount	Name
<u>1</u>	<u>Account Reports</u>	<u>View Orders</u>	<u>Links</u>	1	12/26/2002	3	\$38.00	Test person
<u>2</u>	<u>Account Reports</u>	<u>View Orders</u>	<u>Links</u>	3	12/26/2002	1	\$19.85	John Buyer

2.23 Commission/Account Report

The account report is produced by shopa_affaccounts.asp. This summarizes the details of the orders for this affiliate for the dates selected. Commission is only calculated on orders that have been processed. The commission rate can be configured by altering these two lines.

affCommissionIncludesShipping	No
affCommissionIncludesallOrders	No

The default commission settings are based on processed orders with shipping costs subtracted.

Affiliate # 1	
First Name	Test
Last Name	Affiliate
Address	Test Street
City	Test City
State	Test State
Post Code	66666
Country	USA
Email	abc@def.com
Phone	555666666
Payment Information	
Payment type	Check

Orders for affiliate 25/04/02 - 25/04/02

orderid	customerid	Date	Amount	Shipping Cost	Last Name	Country	Processed	Commission
1	2	25/04/02	\$19.85	\$10.00	hh		Yes	\$0.99

Number of sales =	
Number of sales =	1
Total Sales =	\$19.85
Shipping Cost	\$10.00
Processed	
Number of sales =	1
Total Sales =	\$19.85
Shipping Cost	\$10.00
Commission	
Commission	\$0.99

2.24 Affiliate Commission Calculations

Affiliate commission can be calculated in three ways. All affiliates must use the same method.

- A fixed amount set in the affiliate record
- A specific amount for each product. The amount is stored
- Different amounts depending on the category of a product.

2.24.1 Fixed amount Commission

This is the simplest commission calculation. Simply put a value in the affiliate record. The default for all affiliates can be set using:

affcommissionrate	The default commission rate. It can be altered for each affiliate by editing their record
--------------------------	---

2.24.2 Product Based Commission

This assumes that the actual commission is stored in the products table. There is no specific field in the products table to hold this commission rate, so you must tell VP-ASP here to find the commission

affcommissionproduct	Yes means commission is paid by product
AffCommissionproductfield	pother5 Here we are saying that field pother5 has the commission. It can be a fixed amount or a percentage. of the values is less than zero, it is assumed to be a percent (.10 for example). If greater than zero it is assumed to be a fixed amount 5 for example

2.24.3 Category Based Commission

The commission is based on the main category in the product (ccategory) field. Different categories can have different commission rates.

affcommissioncategory	Yes means commission is paid by category
affcommissioncategories	1,2,3,6=.20;4,5=.10 This means categories 1,2,3 and 6 have a commission rate of 20% and categories 4 and 5 have a commission rate of 10%

2.25 Referring Affiliate Commissions

The Master Affiliate commission is calculated differently. If you are NOT using product or category commission rates the master commission is simply the master commission rate multiplied by the order amount total.

If you are using product or category commissions, the referring affiliate commission is the master commission rate multiplied by the commission of the actual affiliate. It is calculated as a percentage of the actual affiliates commission.

2.26 Mailing Affiliate on Order

The affiliate can be mailed when an order has been received. Because the order ultimately may not completed, you may want to restrict the use of this facility.

Affmailorder	Yes means to e-mail affiliate at the end of an order
Affmailorderdetails	Tmp_affmailorderdetails.txt Template used to mail affiliate at end of order
Affmailordername	Tmp_affmailordername.txt Template with affiliate details used in constructing the order detail message

A message is constructed using two templates. One template has the Affiliates details and obtains information from the affiliate record. The second template obtains details from the orders record.

3 Mailing Using Templates

VP-ASP can use mailing templates. This allows you to create personalized e-mail confirmations when a customer orders from your store. Mailing by templates allows you to create an individual message or messages for your shop.

Using an HTML editor or plain text editor such as Notepad, you create a file that represents your message and include special formatting that tells VP-ASP where to substitute fields from the actual order. The file must be a text file even if you create it with Microsoft Word. It cannot be a Word document. If using HTML mailing, the template can be HTML.

3.1 Templates in Database -New in VP-ASP 5.0

In previous releases templates had to be files located on your server. In this release templates can also be in the templates table. The advantage of a template being in the database template table is that they can be edited using your browser. There is no need to edit them locally and then upload them to your server via FTP.

VP-ASP determines if a template is in the templates table or a file on disk by the way you specify the template name in Shop Configuration. For example the file name for the customer e-mail is tmp.customeremail.txt. If you change the name to db=tmp_customeremail.txt then VP-ASP will look in the database templates table for field tmp_customemail.txt and use the template it finds.

In Summary

Xcustomeremail	Tmp_customeremail.txt Uses template stored in the VP-ASP directory
Xcustomeremail.txt	db=tmp_customeremail.txt Uses the template it finds in the templates table in the database

3.2 Configuring mailing using templates

In the VP-ASP configuration file, set the following

xemailwithtemplates	Yes, uses these templates
----------------------------	---------------------------

3.3 Sample Templates

Sample templates are supplied both in text format and HTML format.

```
xMerchantEmail=tmp_merchantemail.txt ' template for merchant confirmation
xCustomerEmail=tmp_customeremail.txt ' template for customer confirmation
```

Other templates in HTML format are

```
tmp_merchantemail.htm ' template for merchant confirmation
tmp_customeremail.htm ' template for customer confirmation
```

3.4 Setting Templates being Used

Shop Configuration is used to determine which templates are being used.

Template file	
xcustomeremail	tmp_customeremail.txt 
xgifttemplate	tmp_gift.txt 
xmerchantemail	tmp_merchantemail.txt 
xproducttemplate	tmp_product.htm 
xratingtemplate	tmp_rating.txt 
xsupplieremail	tmp_supplieremail.txt 
xtrackingcustomertemplate	tmp_trackingcustomer.txt 
xtrackingmerchanttemplate	tmp_trackingmerchant.txt 
xtrackingmessagetemplate	tmp_trackingmessage.txt 

3.5 Editing Templates

The sample merchant template is shown below. The fields in [] are fields within the order record. Any field can be placed into the template and therefore the mail message. A \$ as the first character tells VP-ASP not to display that line unless there is data in the order record

Merchant Notification

```
Order Number: [Orderid]
Order amount: [format currency OrderAmount]
ShippingCost: [format currency OShipCost]
Shipping Method: [OShipMethodType]
$Tax: [format currency OTax]
$Discount: [formatcurrency odiscount]
```

```
Payment Type: [oCardtype]
Date of Order: [formatdate oDate]
Phone: [oPhone]
E-mail: [oEmail]
```

```
The Order is being shipped to:
${oshipname}
${oshipaddress}
${oshiptown}, [Oshipstate] [oshipzip]
${oshipcountry}
```

```
The Customer is:
[ofirstname] [olastname]
[oaddress]
[ocity], [Ostate] [oPostcode]
${ocountry}
```

```
Products Ordered:
[Add_OItems]
```

4 Mailing To Multiple People

VP-ASP supports mailing to additional e-mail addresses for each order. A sample list is supplied as file tmp_emallist.txt. Each person can receive a different message.

To use this facility, the following steps are necessary:

1. Create a list of people with their e-mail addresses. A sample list is supplied as tmp_emallist.txt
2. Create a template for each person or use an existing template such as tmp_merchantemail.txt
3. Update VP-ASP Configuration to use the new mailing list.

xemallist	tmp_emallist.txt Additional people to be e-mailed
-----------	--

4.1 Setting up your Mailing List

A mailing list includes three items of information: the person's name, e-mail address and template to use.

For example, you may want to e-mail your mobile phone message system. You need to create a file using a plain text editor such as notepad. The format of the file is:

name, emailaddress, template

If you put an * or a ' as the first character of the line it is treated as a comment. A sample file is tmp_emallist.txt.

4.2 Sample tmp_emallist.txt

The sample mailing list tmp_emallist.txt is shown below.

```
' Or * in first column is a comment. Sample mailing list
'name,address,template
'
* send to my mobile phone
test Person,abc@def.com,tmp_merchantemail.txt
* send to my home e-mail address
My Home,home@hotmail.com,tmp_merchantemail.txt
```

4.3 Using Mailing List facility

It is also possible to send SMS message using the mailing list facility. Edit the mailing list file tmp_maillist.txt

```
Person to send to,55555555,tmp_merchantsms.txt,smscentral
```

Person to send to is not used for SMS

Phone number

Template to use

SMS Service to use

4.4 Bulk Mailing using templates

Bulk mailing can be done using the customers, orders, affiliates and projects table. Use the VP-ASP edit tables facility and select “Mail Setup”.

Mail Setup	Select Table	Export Setup	Delete Setup
Table name: customers			
Sort contactid <input type="text"/> <input type="button" value="v"/> Ascending <input type="text"/> <input type="button" value="v"/>	Select Select <input type="text"/> <input type="button" value="v"/> <input type="text"/>	Display All <input type="button" value="v"/> contactid <input type="button" value="v"/> firstname <input type="button" value="v"/> lastname <input type="button" value="v"/> address <input type="button" value="v"/>	
<input type="button" value="Add a Record"/>	<input type="button" value="Reset"/>	<input type="button" value="Display"/>	

4.4.1 Mailing Form


The form below will appear to allow you to specify how and what you are mailing. The two items that are important for template mailing are the filename and the database merge.

Email	<input type="text" value="you@youremail.com"/>
Name	<input type="text" value="VP-ASP Shopping Cart"/>
Subject	<input type="text" value="Shopping Order"/>
Type	<input type="text" value="cdonts"/> <input type="button" value="v"/>
Email format	<input type="text" value="Text"/> <input type="button" value="v"/>
Table name	<input type="text" value="customers"/>
File Name	<input type="text"/>
Attachment	<input type="text"/>
Merge with database	<input type="text" value="No"/> <input type="button" value="v"/>

Message - Paste or type the message

email	Your email address
Name	This is from name to appear in the e-mail
Subject	This is the subject of their message
type	This is the e-mail interface to use. It is defaulted to the one defined in your shopping configuration and is not normally changed
Email format	If you are sending a file that is in HTML format, change this to HTML , otherwise leave as text.
Table name	E-mail can only be done from selected VP-ASP tables: customers, orders, affiliates, projects
File name	If left blank, you must type in or paste the message in the box below. If filled in, then this

	file is read as the message to be sent
Merge with database	This requires the VP-ASP Option package. If Yes then the file is really a template (as defined in the Option Package Design Guide). Database fields are merged with the template to create a customer specific message.
Attachment	A file to be attached. Cannot be a URL. Must be a disk address such as e:\mystuff\abc.txt



5 Coupons

Discount coupons allow you to reward customers with discounts. The discounts can either be:

- Discount to the total price
- Discount to specific products
- Discount to specific category of products
- Coupons can be specific to a customer
- Coupon may have a minimum purchase requirement

Discounts have the following attributes:

1. A name that you define when you create a coupon
2. A start date
3. An ending date
4. A use count

5.1 How the customer uses a Coupon

Customers can enter the discount coupon at any time before they checkout. If the coupon is valid, the coupon discount is applied to the order and appears as a separate line item in the order confirmation form.

5.2 How the merchant defines a coupon

The merchant defines a coupon by adding a record to the Coupons table. This is done using normal VP-ASP administration facility. The coupon is then immediately available or a date when the coupon starts can be specified. Multiple different coupons can be valid at any one time. There is no limit.

In the VP-ASP configuration file, the following value must be set:

xallowcoupons	Yes
----------------------	-----

5.3 Coupon Expiration

Coupons can expire in two ways.

The first is an expiration date. The coupon expires immediately at the end of the day.

Days are very dependent on where your web hosting company is located and may be different from your local date.

The other method is to use a “use count”. VP-ASP records each time an order has been completed and a coupon has been used. The next time a shopper enters the coupon name, if the use count has exceeded the limit, the customer is notified that the coupon is no longer valid.

Since the recording and the checking are done at different times, it is possible to exceed the use count if multiple customers enter the coupon name before the use count has been exceeded.

5.4 Coupon Discounts

Discounts can either be a percentage of the total order or a fixed amount.

5.5 Coupon Limitations

Coupons can be limited to specific products or categories. In the coupon table there are two fields

CouponCategories

This is a list of category numbers to which the discount applies. For example

1, 55, 3, 2

CouponProducts

This is a list of product catalogids numbers to which the discount applies. For example

7, 3, 13, 77, 22, 1

5.6 Creating A Coupon

A coupon is created by adding a record to the Coupons Table using the normal administration table edits.

couponid	
couponname	<input type="text" value="Test"/>
couponamount	<input type="text"/>
couponpercent	<input type="text" value=".10"/>
couponstartdate	<input type="text" value="4/1/2004"/>
couponenddate	<input type="text" value="6/30/2004"/>
couponlimit	<input type="text" value="100"/>
couponcategories	<input type="text"/>
couponproducts	<input type="text"/>
couponusedcount	<input type="text"/>
couponlastuseddate	<input type="text"/>
couponcomment	<input type="text"/>
couponother	<input type="text"/>
couponcustomers	<input type="text"/>
couponminimum	<input type="text" value="50"/>

CouponName	Can be anything. This is what the customer enters
CouponAmount	The amount of discount. It can be a \$ amount or left empty
CouponPercent	The percent discount in the form .10 or for currencies that use comma as decimal point ,10
CouponStartDate	Must be entered.
CouponEndDate	If left empty, the coupon has no expiration date
CouponLimit	The number of times the coupon can be used. If left empty, there is no limit
CouponCategories	A list of categories to which the discount applies. If empty and the next field is also empty, it applies to all products
CouponProducts	A list of catalogids to which the discount applies. Can be left empty
CouponUsedCount,	Updated by VP-ASP
CouponLastUsedDate	Updated by VP-ASP
CouponComment	Unused by VP-ASP
CouponOther	Unused by VP-ASP
Couponcustomers	A list of customerids such as 33,66. Coupons can only be used by these customers
Couponminimum	A number representing the minimum product purchase

6 Gift Certificates

Customers will be able to buy and redeem gift certificates on your site. A gift certificate is paid for like any other product in your shop. The person receiving the gift certificate can then use it to purchase any item in your shop. The certificate essentially acts as a discount up to the value remaining on the certificate.

6.1 Enabling Gift Certificates

In VP-ASP Shop Configuration

xgiftautoenable	No means that you must manually edit the gift certificate and put something in the GiftAuthorized field. This prevents hackers from trying to buy a gift certificate and then using it without first paying for it.
xgiftcertificates	Yes. This enables gift certificates
xgiftexpirydays	Used to set the expiration date for the gift certificate
xgiftlimit	Limits the amount of an individual gift certificate
xgiftprefix	Used to create the gift certificate number in the form GIFT-nnnnn-yyyy
xgiftproductid	99999
xGiftTemplate	Used as the message to the gift recipient

6.2 FAQ on Gift Certificates

- *Can a customer use only a portion of the gift certificate?*

Yes, the portion used is deducted from the remaining amount. A customer can then use the remaining amount for a purchase at some other time.

- *What happens if the gift certificate exceeds the purchase?*

VP-ASP will bypass the normal payment processing and mark that payment was made by a specific gift certificate.

- *What happens if the gift certificate is less than the amount ordered?*

The customer will be required to pay the difference between the amount purchased and the value of the gift certificate.

- *How do I know who used a gift certificate?*

VP-ASP records payment with a gift certificate in the orders table. It also puts trace information in the gifts table. You can see how many times a gift certificate was used, which orders they were used for and how much in each order.

- *Are Gift Certificates Hacker Proof?*

There is no guarantee that hackers cannot compromise gift certificate processing.

- *What about Server Failures?*

If the database fails to get updated properly because of a web server failure, it is possible that an order may not have been fully completed, yet the gift certificate usage details may have been updated. If this occurs you may need to restore the amount remaining based on the internal trace record. This is a simple edit of the gifts table.

6.3 Buying A Gift Certificate – *shopgift.asp*

Multiple Gift Certificates can be bought at one time. They must all be of the same value and will have the same message associated with them. Messages can be up to 255 characters.

The checkout process is similar to normal shopping except *shopgift2.asp* is used instead of *shopcustomer*

Follow these easy steps to order your gift certificate

Who are you sending the gift certificate to. Enter the name below.

To Name(optional)	<input type="text"/>
* Email	<input type="text"/>

Who are you? Enter your name and e-mail address.

From Name (optional)	<input type="text"/>
* Email	<input type="text"/>

Enter the amount of the gift.

Amount	<input type="text"/>
--------	----------------------

Add a message

Enter e-mail addresses separated by commas.
(if sending to more than one person)

6.3.1 Buy a Gift Certificate fields

A gift Certificate can be bought for more than one person but the second and other recipients only can be specified by their e-mail addresses. The e-mail addresses in the bottom box are simply in the form

Abc@def.com,jkl@mno.net

6.4 Limiting Gift Certificates

The amount of an individual gift certificate can be limited with the following statement in VP-ASP Configuration.

xgiftlimit	100
------------	-----

This will limit the gift certificate to \$100

6.5 Using A Gift Certificate

During the normal shopping for a product on your site, the gift certificate number is entered on the same page as other customer details. The certificate is checked at this time. It is checked for value remaining, authorization and expiration date.

* Post Code	<input type="text"/>	Post Code	<input type="text"/>
* Phone	<input type="text"/>	Country	<input type="text"/>
* Email	<input type="text"/>	Company	<input type="text"/>
Country	<input type="text"/>		
Company	<input type="text"/>		

Order Comments and Special Requests

Continue

Enter your gift certificate here

Gift Certificate

[Start as new user](#)

6.6 How Gift Certificate Appears on Checkout

The Gift certificate amount is deducted from the purchase price. In the example below, the gift certificate had enough value to cover the full purchase.

Continue

Description	Quantity	Unit Price	Total
Milk A full liter of full cream milk Base price\$1.19 Features/Options: Size 2 liters Add\$1.00	1	\$2.19	\$2.19
Pizza Frozen The finest ingredients and self rising crust make this the perfect pizza Base price\$5.95 Features/Options: Topping Anchovies Add\$1.00 Topping Mushrooms Add\$0.50	1	\$7.45	\$7.45
Marked down today at our special price			
Product Cost			\$9.64
Shipping Cost			\$10.00
Gift Certificate			(\$19.64)
Total			\$0.00

7 Mailing To Suppliers

At the completion of the order, each supplier can receive an e-mail about those goods purchased. You must set the supplierid in the product record. The supplierid is a number which links back to the supplier table. The following must be set in VP-ASP Configuration.

xmailto-suppliers	Yes
xsupplieremail	tmp_supplieremail.txt

7.1 Adding Suppliers to the database

There is a supplier registration form, shoppupplierregister.asp. Suppliers can then self-register or you can register on their behalf. To allow suppliers to self-register set the following in VP-ASP Configuration.

xsupplierregister	Yes
-------------------	-----

7.2 Supplier Template

The default supplier template, tmp_supplieremail.txt, can be altered to suit your site. The actual order items are dynamically created in file shopmailsupplier.asp

Supplier Notification of Sale

Order Number: [Orderid]
Shipping Method: [OShipMethodType]
\$Gift Certificate: [GiftCertificate]

Payment Type: [oCardtype]
Date of Order: [formatdate oDate]
Phone: [oPhone]
E-mail: [oEmail]

\$The Order is being shipped to [oshipname]:
\$[oshipname]
\$[oshipaddress]
\$[oshiptown], [Oshipstate] [oshipzip]
\$[oshipcountry]

The Customer is:
[ofirstname] [olastname]
[oaddress]
[ocity], [Ostate] [oPostcode]
\$[ocountry]

8 HTML Mailing

It is possible to mail responses in HTML format instead of text format. Different templates are required. We have supplied sample HTML formatted templates. The templates have the same names as their text examples

Text	HTML
tmp_customeremail.txt	tmp_customeremail.htm
tmp_merchantemail.txt	tmp_merchantemail.htm
etc	

Set the following in VP-ASP configuration.

xemailformat	HTML
--------------	------

9 Product Rating and Reviews

Customers can rate and review any product. They can view other people's comments. This is controlled by the following lines in VP-ASP configuration.

The merchant can optionally be notified when a review has been added.

xallowratingproducts	Yes turns on product reviews and rating
xallowratingssummary	Displays a summary of the number of ratings on product displays
xratingmailtomerchant	If Yes, a mail message is sent to the merchant
xratingproducthyperlink	Automatically generate a hyperlink on products display to write a review and read reviews
xreviewauthorize	If Yes, reviews are not automatically displayed. The merchant must manually set the Authorized field in the reviews table. Anything in the "authorized" field means it is authorized.

9.1 Shopreviewadd.asp

To make a review shopreviewadd.asp is invoked. It is passed one parameter id=33. The 33 is the catalogid of the product. For example, VP-ASP can automatically generate this hyperlink from the normal product display page.

shopreviewadd.asp?id=6

Glossy paper
Write a Review

Your Rating	<input type="text" value="5 (Best)"/>
Review Title	<input type="text"/>
Comment	<input type="text"/>
Where are you? State/country	<input type="text"/>
First Name	<input type="text"/>
Email	<input type="text"/>

Continue

9.1.1 Product Review Fields

All Fields are required except the e-mail address. The information is stored in the reviews table. Optionally, the merchant is e-mailed a message when a review is written.

9.2 Listing Reviews

The reviews are listed last in first out. The product name is listed along with links to write a review and go back to the product details.

Glossy paper

[Write Review](#) [Product Details](#)

Best paper ever ★★★★★

Harry New York, USA (29/04/01)

This is the best paper I have every used. It works properly in all my computer printers and faxes. It has a beautiful texture and I highly recommend it.

10 Projects Payments

Requires the VP-ASP Option Package.

Projects are a method of using VP-ASP for non-product payments. These can be services, auctions or any other payment not normally associated with your normal products.

10.1 How Projects Work

Using the normal VP-ASP administration system you first create a record in the “projects table”. A unique number is created starting from 1. This is the project number. A new file is provided called **shopprojectlogin.asp**. You notify the person who is paying to go to your site. They enter their project number and e-mail address. The amount being paid is then taken from the projects table and they then go through the normal VP-ASP process of paying as if they were buying a product.

10.2 Creating a projects Record

Use the VP-ASP Administration facility and edit the “projects” table and then select “add Record”

Table name : *projects*

Sort	Select	Display
Select	Select	All
Ascending		pid
		pdate
		description
		customer
Add a Record	Reset	Display

Page 1 of

pdate	
description	
customer	
customeremail	
price	
dualprice	

There are numerous fields, but only these need to be filled in.

Pdate	Today's date or the date of the project
description	Description of up to 255 characters.
customer	Name or organization who is going to pay
customeremail	Customer e-mail address
Price	The amount being paid
dualprice	Used only if you are displaying dual prices

10.3 Mailing to Customers

Records from the project display can be mailed to customers using the standard mailing facility. A template tmp_project.txt is supplied that will automatically fill in the project id and customer name. This file should be edited to put in your web site address.

The following is a display of “Mail Set-up” after editing the projects table

Email	you@youremail.com
xEmailname	VP-ASP Shopping Cart
xEmailsubject	Shopping Order
xEmailtype	CDONTS
Xemailformat	Text
Table Name =	projects
File Name	tmp_project.txt
Merge with database	Yes

10.3.1 Tmp_project.txt

To: [customer]

The work has now been completed.
You can pay for this by linking to this location:

<http://www.mysite.com/shopping/shopprojectlogin.asp>

Project #: [pid]
Email: [customeremail]

10.4 Customer pays for Project

You must e-mail the project number and the e-mail address to the customer.
The customer then links back to your site to file **shopprojectlogin.asp**

Enter your project number and email address

* Project Number	<input type="text"/>
* Email	<input type="text"/>

Continue

On entering their project number and e-mail address, the service is added to the cart in this form automatically.

Remove	Description	Quantity	Unit Price	Total
<input type="checkbox"/>	Project Number: 1			
	Name: My customer	<input type="text" value="1"/>	\$100.00	\$100.00
	Description : This is a payment of software development			
Product Cost				\$100.00

10.5 Notes

After the project is added to the cart it is treated like any other “product”. The customer can add another project by using shopprojectlogin.asp, can checkout or can purchase other items from the shop.

10.6 Project Payment Updates

VP-ASP can automatically update the project record when the customer pays, you can choose to update it manually. To allow automatic updates, set

xprojectupdate	Yes. This automatically updates the project record when payment is made
-----------------------	---

10.7 Project Reports

The project report displays those projects that have not yet been processed. As projects are paid, they can be marked paid and processed. The details can be updated by editing the record.

Sort Orders by

Search

Page 1 of 1

		Mark Processed	pid	Date	Customer	Amount	Description	Delete
View	Edit	<input type="checkbox"/>	1	27/10/01	My customer	\$100.00	This is a payment of software development	<input type="checkbox"/>

11 Order Tracking

Order tracking allows merchants to:

1. Notify customers about the status of their order
2. Customers to request changes or information about their order
3. Merchants to communicate status messages with different departments about the order

11.1 Tracking Configuration

xtracking	Yes - turns on order tracking
xtrackingcustomerread	If yes, customer can read tracking messages.
xtrackingcustomerwrite	If Yes, customer can write tracking messages to the merchant

11.2 Merchant Messages

When tracking has been turned on, a new column appears when displaying orders

Sort Orders by

Search

Page 1 of 1

			Mark Processed	orderid	customerid	Date	Amount	Last Name	Country	Delete
View	Edit	Track	<input type="checkbox"/>	1	2	29/10/01	\$37.85	test		<input type="checkbox"/>

11.3 Merchant Tracking Options

The merchant can write a message to associate it with the order. The message can be:

- E-mailed to the customer automatically
- Simply saved with the order for the customer to view
- Saved with the order and only the merchant can view it

Order Number	1
Your Name	<input type="text"/>
E-mail address	you@youremail.com
Email message to customer	<input checked="" type="checkbox"/>
Customer can view message	<input checked="" type="checkbox"/>

Tracking Message

Continue

11.4 Customer Tracking

If customers are allowed to read and create tracking messages, a new service appears on the customer service menu. When the customer views the order, they will be able to see any messages and also create their own which are e-mailed to the merchant.

Email message to merchant

Order Number	1
Your Name	<input type="text"/>
E-mail address	test@vpasp.com

Tracking Message

Continue

Tracking Message

Date	Time	Your Name	Tracking Message
30/10/01	1:30:41 AM	Shipping Department - Fred	The goods will be shipped by Fedex on Friday for delivery in 2 days.

12 Image Uploading

This facility allows you to upload images from your own personal computer and to store them on the web host's computer. It also automatically updates the VP-ASP product or category fields with the location of the image.

12.1 Restrictions

Most web hosting companies make their directories read-only. This prevents hackers from altering your site but it also prevents you from altering your site from the browser. This uploading facility relies on your web hosting company's security protection. If they will not let you write to a directory, then this VP-ASP facility will not work.

12.2 Upload Configuration Options

The following should be set in VP-ASP Configuration

xupload	Yes – turns this facility on
xuploaddirectory	Default directory where images are to be stored. It should normally be in Windows relative addressing format such as ..images

12.3 How it Works

When this facility is turned on, additional hyperlinks are generated when you edit a product or category.

Image: Upload image	<input type="text"/>
Order Button image: Upload image	<input type="text"/>

12.4 Uploading an Image

When clicking, “Upload Image”, you are prompted as shown below.

Upload file

File Name	<input type="text"/>	Browse...
Directory	images	

[Continue](#)

The browse button can be used to do a normal Windows browse to the file to be uploaded. The directory is where the image is to be stored. It should be writable.

12.5 Upload Errors

The two most common errors that are encountered are the path where the image is to be uploaded does not exist. A message like this will appear:

Errors occurred trying to create D:\webs\yousite\shopping\images\aaa.gif
Path not found

This means the path where images are to be uploaded does not exist.

The second error is that the directory cannot be written to.

Errors occurred trying to create D:\webs\yousite\shopping\iaaa.gif
Permission denied

Here you tried to upload the image directly into the VP-ASP shopping directory. Since it is normally read-only, the upload failed.

12.6 Successful Uploads

On the successful completion of the upload, the following will be displayed: the location of the image, a picture of the image and a continue link. Continue should return you to the page where you came from.

The file was uploaded successfully

c:\webs\vpasptest350\vpasp130x110.gif



[Continue](#)

13 Points System

A customer can receive points based on the products purchased. Points can be assigned to all or selected products. The Points Rewards Systems is a separate product.

Currently there is no provision for points to be redeemed. It is up to the merchant to decide how to use the accumulated points to reward your customers except if you decide to use the Points Rewards add-on.

The merchant puts the number of points into a new field in the products table called points.

13.1 How it works

At the end of the order each product is looked up. If it has points they are added and then stored in the customers table in new fields pointstotal and points remaining

When the customer reviews their orders, they can see their total points remaining, total points accumulated and points for each order.

Points System uses three new Shop Configuration values.

Xpoints	Yes turns on the points system
Xpointsfield	Points the default field where points are located
xpointsequalcurrency	The value of points will be amount purchased instead of a points value in the product record.

13.2 Where Points are stored

Points are stored with the order in the points field. Points are stored with the customer record. There are two fields. pointstotal and pointsremaining. The total represents all points accumulated to date and the remaining is those that remain after some have been used. VP-ASP currently adds to both at the end of the order but there is no redeeming facility and therefore nothing that lowers the points remaining.

13.3 Customer Review Points

The customer can review the points accumulated by using the standard review orders facility of the Customers server.

Orders are listed by latest date first

Order Number

Order #	Amount	Date of Order	First Name	Last Name	Status	Processed	Restore	Points
2	\$157.75	29/04/02	Fred	Buyer		No	Yes	1500
1	\$19.85	29/04/02	Fred	Buyer		No	Yes	100

Points total	Points remaining
1600	1600

13.4 Anti-hacker Checks

In VP-ASP 5.01 additional anti hacker checks were added. This check adds additional logic so that points are not accumulated in the customer record unless the order matches a payment value set in the following shop configuration. The points are stored with the order record, so that they may be manually used to update the customer record if the order proves to be valid.

Xendofordervalidpayments	Visa,Mastercard
---------------------------------	-----------------

If the order does not match these payments, the points are still accumulated but not added to the customer record. In the other1 field of the order record a note is entered in the form ***Points remaining xx*** . This means the customer should have been give xxx points but because the payment method did not match their customer record was not automatically updated.

14 Importing Data

VP-ASP can import data that is in the form of comma delimited. Any table can have the data imported. Normally this is done for products. If you import categories, the categoryid is assigned by the database and the value may be different than that assigned to a product. Records can be added or updated but they cannot be deleted with this import facility.

The import does not support updating multiple categories/subcategories for a product.

Bulk Import

File Name	<input type="text"/>
Table name	products
match field	catalogid
Delimiter	,
Display	Select <input type="button" value="v"/>
<input type="button" value="Continue"/>	

filename	The name of the file to be imported. It can be a full disk address or relative address. products.txt or c:\imports\mydata.txt
Table	The table the data is imported into.
Delimiter	Each field will be separated by this character. Normally it is a comma (,) or semicolon (;)
Match Field	The field to match the data from the import file to the database to determine whether a record should be added or updated
Display	Yes displays a message for each record. No displays only a summary after the import has been done

14.1 Import Sample Data

The following is a sample of category import data

```
"categoryid";"catdescription";"highercategoryid";"catimage";"hassubcategory";"cathide";"catextra";
"productmatch";"customermatch";"catmemo"

1;"Toys";0;"vpdemo_toys.jpg";"Yes";;;; "Extensive set of new exciting toys"
2;"Travel Packages";0;"vpdemo_travel.jpg";;;; "Travel the world. Great packages for all ages."
3;"Stationery";0;"vpdemo_stationery.jpg";;;; "Full range of laser and fax paper"
```

The first line contains the field names. The remaining lines are the data. Character strings are in double quotes and fields are separated by semi-colon(;). This format can be created by Microsoft Access or VP-ASP itself.

15 Static HTML Pages

It is possible to generate static HTML pages directly from the database. This can be useful to allow search engines to index your entire product range. Select Generate Static HTML from the Administration Menu and this form will be generated

Template file	tmp_generate.htm
Location of write enabled directory	html
Index File	index.htm

Continue

Template file	This is the template to be used to generate the product pages.
Directory	The folder where the html will be written. If you are running on a hosting company not every folder is writeable
Index File	The name of the Index file. It will contain a hyperlink to every file generated

15.1 What gets created?

Three types of files get created. For those that have used VP-ASP 5.0 static HTML generation, this is new.

Index.htm	Index page with all the top level categories. Pointing to subcategory pages with name cxxx.htm Xxx is the categoryid of that category
Cxxx.htm	One HTML file is created for each category or subcategory. These have links to the products belonging to that category
Pyyy.htm	Individual pages for each product

15.2 Executing this file

Upon completion of program you should see a message similar to below.

Number of product HTML files created=23
html/index.htm

15.3 Index File

By clicking on the index file, you should see a list of your entire product range.

[Furniture](#)
[Travel Packages](#)
[Computers and Electrical](#)
[Services](#)
[Clothes](#)
[Groceries](#)

15.4 Category Files *cxxx.htm*

The category pages have links to the Individual Product pages.

- [Chair](#)
- [Kitchen Chairs](#)
- [Classic Sofa](#)
- [Classic Piece](#)


15.5 HTML Templates

Templates are used to control the formatting of the category and product pages. This allows you almost complete control over the formatting of these generated pages.

Tmp_generate.htm	Used to format the product files pyyy.htm. Only fields in the products table can be used. But it can include images, description, links to other pages
Tmp_generateheader.htm	Used to generate header portion of cxxx.htm category index pages
Tmp_generatetrailer.htm	Used to generate trailer portion of category pages.

The supplied template is tmp_generate.htm. Certain restrictions apply to this template

- Only basic fields from the products table are allowed. You cannot display features for example
- The generated HTML will be in a subfolder and you may wish to add your own HTML headers to the template file.



16 Secure Downloads

VP-ASP Secure Download provides a way of delivering downloadable products and protects against hackers or unauthorized customers from downloading these products.

VP-ASP Secure Download has the following facilities:

- Your products are off the web and cannot be downloaded directly by anyone.
- No direct download link is generated and therefore cannot be bookmarked.
- The customer is permitted to download the product only if paid for by a payment method you nominate.
- Customers can download the product a limited number of times. They must be the original purchaser.
- Customers can download a product until a specific date.
- The file to be protected must reside on the same physical server as VP-ASP.

16.1 Restrictions

The download facility uses a facility that is browser dependent to write a binary file to the browser.

The browser should automatically bring up a dialog box asking the customer where to place the file on the customers local PC.

This facility has been tested with Netscape and Internet Explorer but may not work on all versions of these browsers or other browsers. We therefore cannot guarantee that this facility will work with every type of binary file and every browser.

16.2 How it works

At the end of an order, any download product generates hyperlink, not to the specific product but the VP-ASP secure download program. The program verifies that the customer is entitled to download the product and automatically sends the product to the browser.

There are no hyperlinks to bookmark and therefore unauthorized customers cannot share the product.

If the customer needs to reload the product at a future time, they login and can download the product again. Limits can be placed on the number of downloads, the last date a download is valid for. Downloads can also be totally blocked if you are under some type of hacker attack.

16.3 Secure Download Configuration Options

Xendofordervalidpayments	Visa,Paypal. This is a list of payments which allow downloads
Xdownloads	Yes turns on the secure download facility
Xdownloadlimitcount	Number of times a specific product can be downloaded
Xdownloadlimitdays	Number of days from the original purchase date a product can be downloaded
Xdownloadblock	Yes blocks all downloads until changed to No
Xdownfeature	Yes tells VP-ASP that a different download should be used when that feature is selected. In the featureother1 field you place a field name in the products table where the alternate file is located. You do NOT place the file name itself. So featureother1 may have pother4 for example. In the actual product record, you place the real file name in the pother4 field

16.4 Setting up Secure Downloads

In the products record, the location of the real product is placed in the download field. The customer will never see this location and it can be in a folder not directly viewable on the web but be in a folder that can be read by VP-ASP.

When a person buys the product, VP-ASP checks the list of valid payment types in the Shop Configuration xendofordervalidpayments. If the payment is made by one of the approved methods, a download link is generated at the end of the order. If no valid payment is made, no download links are generated. A merchant can at a later time change the payment type to a valid payment method.

In order to obtain the product, the customer would use the VP-ASP customer service facility. They would login, view the order and the download links would then appear.



17 Bulk Updating – shopa_editstock.asp

It is possible to update common fields such as price, stock level and a few other selected fields. This facility is in addition to the normal product updating in which any field can be updated.

The top menu allows you to select specific records. The bottom menu allows you to update the fields.

Please update product values and press the Update button.

Sort Select

Page 1 of 1

catalogid	Code	Name	Price	Retail Price	Stock	Image	Large image	Category
3	33333	Electronic Cannon	1.5		100	vpdemo_cannon.gi		1
5	55555	Ream White	5.87		100			3
6	66666	Glossy paper	3.9		100			3
7	77777	Pens and Pencils	3.5		1			3
8	88888	Professional firew	2995		1			4
9	99999	Flight from New Yo	400		1	vpdemo_newyork.	vpdemo_travel.jpg	2
13	dddd	Adult Play Swing	14.95	29.95	5	vpdemo_whacky.gi		1
14	eeee	Small girl doll	4.5		1			1
18	iiii	Hand held game fo	7.95		66			1
19	jjjj	Your own radio set	49.95	69.95	1			1
21	Tuna	Tuna Fish	3.25					6
22	Pizza	Pizza Frozen	5.95					6
23	Donation	Enter your donatio	0					4

18 Session less and Cookies less Shopping Cart

The Internet is stateless. This means that one page does not know anything that happened before that page is displayed. Currently VP-ASP relies on Microsoft Windows Session Variables. Session variables are small pieces of information kept on the server while activity is taking place in the shopping cart. In the Microsoft design, session variables require that cookies be enabled on the clients browser.

The goal is to allow customers to shop even if cookies are disabled on the browser but this facility has many restrictions and may not be suitable for your site. These restrictions are listed below.

18.1 Database Usage

Cookieless VP-ASP allows you to use the shopping cart without session variables and without cookies being enabled on your customer's browser. Cookies are replaced with database table called sitesessions. Each time a customer enters your shop 1 record gets created in the table.

We expect this facility to be slower than Microsoft Session Variables. It requires reading and writing of session database. Microsoft Session variables are kept in memory.

This facility is suitable for Microsoft SQL Server database and MYSQL database but we do not recommend it for Access databases. Access databases do not clean up unused space, and this facility may cause your Access database to grow to an unacceptable size.

18.2 Why Cookieless may not be suitable for your site

The Internet is stateless. This means that one page does not know anything about what happened on previous pages except if information is passed from one page to another. The cookieless interfaces passes a number called the websess number. If this number is not passed as either a hidden form field or on the querystring, VP-ASP has no knowledge of what came before.

When VP-ASP cookieless facility is not suitable and will not work

- Do not use with Access database since it may cause database to grow,
 - If you have many hyperlinks that link into various VP-ASP pages and you go back and forth between your pages and VP-ASP pages. Cookieless VP-ASP will not be suitable since your hyperlinks will not include the websess information. We are providing some help to achieve this if your pages are ASP but not plain HTML.
 - Some gateways leave your site and come back. In this case the websess information is lost. Many but not all gateway code can NOT support passing websess information.
 - You are using template based formatting and have hyperlinks in those templates. You must change the template to add additional websess information.
-

18.3 Configuring Cookieless Shopping

Cookieless VP-ASP is turned on by altering 1 link in file shopcookieless.asp. The Yes is case sensitive. It cannot be yes or YES. It is not set by changing a standard shop configuration value.

```
const xusefilesession="Yes"
```

18.4 Url Changes

VP-ASP will append a name such as websess=xxxxxx to some URLs. This is normal and it is a way VP-ASP has of keeping track of the current session

18.5 Cleanup of Files

Cleanup is done automatically each time the administrator logs in. Files are checked for last modified time. If the time exceeds 1 hour the files are deleted. The Shop Configuration is as follows.

Xsessioncleanupinterval	1 time in hours when session files are deleted. They will not be deleted if used within the time so it will not affect active customers

If you want the sessions to stay in the database forever, set no value for the session timeout. Cleanup is not done until a VP-ASP administrator logs in, at that time cleanup checking is done

18.6 ASP Programming Guidelines using Cookieless

Using this facility may affect any special ASP programs that you have developed yourself and make this unusable in your specific environment. Since Microsoft Session variables are no longer used when you turn this facility on statements like

```
Session("abc")=ssss    will no longer work.  
This must be replaced by  
Setsess "abc",sss
```

```
And sss=session("abc") needs to be replaced with  
Sss=getsess("abc")
```

In addition statements like

```
Response.redirect "myfile.asp" need to be replaced with  
Response.redirect "myfile.asp"
```

Setsess,getsessa and responseredirect are VP-ASP subroutines.

18.7 Cookieless Programming Guidelines

Cookieless VP-ASP needs to pass a web session value from page to page. This is passed either on a querystring or as a hidden form field. VP-ASP has been altered to this automatically but it does present problems if you simply create a hyperlink to a VP-ASP page from your own static HTML. These are the current restrictions on cookieless VP-ASP

- Generating static links from your own pages will almost always cause a new session to be created. This means VP-ASP will not remember what has gone before.
- Using plain hyperlinks in VP-ASP templates requires that you modify the template as shown under template handling below.
- Many forms based gateways leave your site, go to the gateway site and then come back. VP-ASP has over 70 gateways. At this time most forms based gateways have NOT been altered to work with cookieless VP-ASP. We will attempt to port them on an as needed basis. COM based gateways have been updated to support cookieless VP-ASP. Com based gateways do not leave your site.
- Standard shoppage_header.htm and shoppage_trailer.htm will not work with cookieless VP-ASP since they have static hyperlinks. We are providing a sample default.asp and example page header and trailers that will work.

18.8 Special Subroutines for Cookieless VP-ASP

A set of special facilities to add the websess value to forms and urls are provided. These are used internally by VP-ASP.

Addwebsessform	Subroutine call to be used in a form to add web sess as a hidden field. Normally put ust before end form Addwebsessform Response.write <"<form>"
AddWebSessLink	Used to add websess=xxx to a querystring url="myfile.asp?abc=def" & addwebsesslink
Addwebsess	A function that add websess= to a url url="myfile.asp" url=addwebsess(url) results in myfile.asp?websess=xxxxxxxxxx
Responseredirect "myfile.asp?abc=def"	The responseredirect changes the url automatically to Response.redirect "myfile.asp?abc=def&websess=xxxxxx"
AddSession	Used to add websess=xxxxxx to static hyperlinks <a Href="shopcustadmin.asp<%addsession%">"My Account
Addwebsessformgw "fieldname"	Generates hidden form field using the fieldname instead of websess. Used only in gateway code

18.9 Template Hyperlinks

Many templates have plain hyperlinks. This will cause VP-ASP to lose it session status. In a template you need to change

```
<a href="shoptellafriend.asp?id=[catalogid]">Tell a Friend about this product</a></p>
To
```

```
<a href="shoptellafriend.asp?id=[catalogid] [add_websesslink]">Tell a Friend about this
product</a>
```

18.10 Gateways

In general COM based gateways will work with cookieless VP-ASP but forms based gateways will not. If you require a form based gateway to work, we will consider it on a case by case basis. Some gateways will allow us to pass session data and get it back. Others will not.

18.11 Sample Files

We have crated sample files where session information is added to hyperlinks.

Defaut.asp, shoppage_headersess.htm and shoppage_trailersess.htm. To use these header and trailer files, simply rename to shoppage_header.htm and shoppage_trailer.htm

19 SMS Messages

It is possible to send text messages to your mobile phone at the end of an order. This can be in addition to your normal email. Text messages can be sent to a specific phone number or you can use the email list facility to send messages to multiple phone numbers.

Most SMS messaging requires that you sign up for some type of external SMS Service. There are many services in the world at at this time VP-ASP only supports a small number of these. So you may have to write the actual interface to your service yourself if it is not one that we support.

Xsmsmerchant	Yes means send SMS to the merchant
xsmsmerchanttemplate	The template used to format the message. Default is tmp_smsmerchant.txt
Xsmsmerchantphone	Phone number to be sent the message
Xsmsservice	This is the name of the service. Each supported service will be given a name. For example smscentral supports smscentral.com.au service

19.1 SMS Diagnostic Tool

A diagnostic tool is supplied that can test your SMS service. The tool, diag_smstest.asp must be run after you login as a VP-ASP administrator. The message is sent to the phone number. Please note that there are delays in SMS messages and the message may not be instantaneous.

* Phone Number 444 555 666

* From Name Test Pewrson

* SMS Server smscentral

Test from VP-ASP SMS

Send SMS

19.2 Using Mailing List facility

It is also possible to send SMS message using the mailing list facility. Edit the mailing list file tmp_maillist.txt

```
Person to send to,55555555,tmp_merchantsms.txt,smscentral
```

Person to send to is nored

Phone number

Template to use

SMS Service to use